# HP Color LaserJet Managed Flow MFP E786z Printer series



#### Powerful, Flexible, Secure,

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers 'you'll stay secure and simplify fleet management for busy IT pros.



# Unleash peak productivity.

- Tackle anything with our powerful CPU. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 10.1-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware.<sup>3</sup>
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.

#### Customizable solutions built to last.

- Your business needs met. Make the most of performance with unprecedented, flexible configurations built to support the demands of your business.
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware. 3
- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate
  paper and digital workflows.<sup>2</sup>

# Always on guard with HP Wolf Security.5


- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified <sup>6</sup> to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ with active system monitoring is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

#### Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled
  or certified content.<sup>8</sup>
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic. 9 Printing that puts the planet first
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel.
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.

# Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)<sup>1</sup>
- 2. Flatbed scanner handles sheets up to 11x17 in (297 x 432 mm)
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port<sup>2</sup>
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to A3 (11x17 in)
- 14. 300-sheet dual side ADF supports media sizes up to A3 (11x17 in) (Flow models only)
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Full size keyboard
- 18. Right door access to the print path
- 19. 100-sheet multipurpose tray 1 supports media sizes up to A3 (11x17 in)
- 20. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 21. Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3 (11x17 in)



# Series at a glance

ocheo at a glance			
Model	HP Color LaserJet Managed Flow MFP E786z		
Product number	5QJ94A	5QJ94A (Base) + 8EP56AAE (Speed license)	5QJ94A (Base) + 8EP57AAE (Speed license)
Print speed (A4 and letter, Black and color) <sup>3</sup>	Up to 25 ppm	Up to 30 ppm	Up to 35 ppm
Scan speed (A4 and letter, Black and color)4	120		
Functions	Print, copy, and scan (fax and wireless optional) (all models)		
ADF capacity	200 sheets		
Input capacity	Standard: 1,140 sheets; Maximum: 3,140 sheets (all models)		
Advanced workflow features	HP EveryPage technology, <sup>5</sup> full size keyboard, embedded OCR, auto orientation, auto-tone, auto page-crop, document editing, auto paper color removal, job separation		

<sup>&</sup>lt;sup>1</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. <sup>2</sup> An administrator must enable the easy-access USB port before use. <sup>3</sup> Measured using ISO/EC 24734, excludes first set of test documents. For more information, seehp. com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>4</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. <sup>5</sup>HP EveryPage Technology is powered by ultrasonic multi-feed detection.

## Top features

Get more done faster with printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quad-core processor.. Optimize your workflows and help increase productivity with upgradeable hardware options and scalable solutions to support your workforce for today and tomorrow.

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can keep your business running.
Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards 7; supporting HP's goal for carbon neutrality and a fully sustainable economy.

# Services and Solutions

Service and Support	U036VE - HP 1 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E786xx U036WE - HP 3 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E786xx U036VE - HP 5 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E786xx U036VE - HP 5 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E786xx U036VE - HP 3 year 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03H0E - HP 4 year 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03H1E - HP 5 year 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03H2E - HP 1 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E786xx U03H3E - HP 3 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E786xx (Managed Component Only) U03H3E - HP 3 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E786xx (Managed Component Only) U03H5E - HP 3 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E786xx (Managed Component Only) U03H5E - HP 5 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E786xx (Managed Component Only) U03H6PE - HP 1 year Post Warranty Next Business Day with DMR Service for Color Laser Jet Managed MFP E786xx U03H9PE - HP 2 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03H9PE - HP 2 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03H9PE - HP 2 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03H9PE - HP 2 year POst Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03H9PE - HP 2 year POst Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03H9PE - HP 2 year POst Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03H9PE - HP 2 year POst Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx (Managed Component Only) U03HCPE - HP 2 year POst Warranty 4 hour 9x5 with DMR Service
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights  Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App  Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit

Data sheet   HP Co	lor LaserJet N	Managed Flow MFP E786z Printer series
Accessories	155P7A	HP LaserJet InnerFinisher 2/3 Hole Punch
	190A0A	HP Color LaserJet Workgroup Lunar Gray Color Panel
	190A6A	HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Lunar Grav Color Panel
	190A7A	HP LaserJet Workgroup High Capacity Paper Tray/Stand Lunar Gray Color Panel
	190A9A	HP LaserJet Workgroup Stand Lunar Gray Color Panel
	190B0A	HP Color LaserJet Workgroup Comet Red Color Panel
	190B6A	HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Comet Red Color Panel
	190B7A	HP LaserJet Workgroup High Capacity Paper Tray/Stand Comet Red Color Panel
	190B9A	HP LaserJet Workgroup Stand Comet Red Color Panel
	190C0A	HP Color LaserJet Workgroup Cosmic Green Color Panel
	190C6A	HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel
	190C7A	HP LaserJet Workgroup High Capacity Paper Tray/Stand Cosmic Green Color Panel
	190C9A	HP LaserJet Workgroup Stand Cosmic Green Color Panel
	190D0A	HP Color LaserJet Workgroup Constellation Yellow Color Panel
	190D6A	HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel
	190D7A	HP LaserJet Workgroup High Capacity Paper Tray/Stand Constellation Yellow Color Panel
	190D9A	HP LaserJet Workgroup Stand Constellation Yellow Color Panel
	190F0A	HP Color LaserJet Workgroup Aurora Purple Color Panel
	190F6A	HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel
	190F7A	HP LaserJet Workgroup High Capacity Paper Tray/Stand Aurora Purple Color Panel
	190F9A	HP LaserJet Workgroup Stand Aurora Purple Color Panel
	2NR12A	HP Removable Hard Drive Enclosure
	2TD64A	HP Accessibility Kit
	3JN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory
	478C2A	HP Printing Voice Assistant
	4QL32A 4XN67A	HP Legic Secure USB Reader
		Internal USB Expansion Kit HP MFP 810 Analog Dual Fax
		HP LaserJet 2x520 sheet Workgroup Paper Tray/Stand
		HP LaserJet 2000 sheet Workgroup High Capacity Paper Tray/Stand
		HP LaserJet Inner Finisher
		HP LaserJet Booklet Finisher
		HP LaserJet Workgroup Job Separator
		HP LaserJet Workgroup Stand
		HP LaserJet Stapler/Stacker Finisher
	6HN30A	
	6HN31A	HP 500GB CCC, FIPS, TAA Hard Disk Drive
	7ZA08A	HP MFP 800 Analog Single Fax
	8FP31A	HP Jetdirect LAN Accessory
	9EQ11A	HP 500GB CCC, FIPS Hard Disk Drive
	B5L31A	HP Foreign Interface Harness
	CC543B	HP SmartCard NIPRNet Solution for US Government
	F8B30A	HP SmartCard SIPRNet Solution for US Government
	X3D03A	
	Y1G10A	
	Y1G13A	HP LaserJet Inner/Booklet Staples
	Y1G14A	HP LaserJet Stapler/Stacker Finisher Staples
		HP LaserJet Paper Tray Heaters Accessory
	Y1G23A Y7C05A	HP LaserJet Second Exit Accessory HP HIP2 Kevstroke Reader
	Y7C05A Y7C07A	HP HIP2 Reystroke reader  HP SIM for HID iClass for HIP2 Reader
·	17CU/A	וווי טוויוט וווי במטטו עוווי בענט ווויד ווויד במטטוער ווויד
Speed Licenses		EHP Color LaserJet Managed MFP E786 25 to 30ppm License
		HP Color LaserJet Managed MFP E786 25 to 35ppm License
	8LB46AAE	: HP Color LaserJet Managed MFP E786 30 to 35ppm License

<sup>\*</sup> HP LaserJet Workflow Accelerator Card, 6HN30A will be available in January 2023.

Print speed <sup>3,4</sup>	Print, copy, scan, fax (optional)					
	Letter Black	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)		
	Letter Color	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)		
	A4 Black	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)		
	A4 Color	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)		
	First page out Letter Black	As fast as 11.1 sec	As fast as 9.4 sec (with 8EP56AAE) As fast as 11.4 sec (with 8EP56AAE)	As fast as 9.1 sec (with 8EP57AAE)		
	First page out Letter Color First page out A4 Black	As fast as 13.0 sec As fast as 11.1 sec	As fast as 11.4 sec (with 8EP56AAE)  As fast as 9.4 sec (with 8EP56AAE)	As fast as 10.8 sec (with 8EP57AAE) As fast as 9.1 sec (with 8EP57AAE)		
	First page out A4 Color	As fast as 13.0 sec	As fast as 11.4 sec (with 8EP56AAE)	As fast as 10.8 sec (with 8EP57AAE)		
	, ,	II.				
Till resolution	reduced speed; Color (normal): Up to 600	× 600 dpi; <b>Color (fine lines):</b> Up to 120	500 dpi; <b>Black (fine lines):</b> Up to 1200 x 1200 O x 1200 dpi	э арг, <b>союг (best).</b> ор то 1200 х 1200 аг		
	Laser; Optical: Normal (600 x 600 4 bit), Be		·			
rint cartridges number	4 (1 each black, cyan, magenta, yellow)					
	HP PCL 5c, HP PCL 6, HP Postscript level 3	emulation, PDF (v 1.7), AirPrint™ comp	atible			
	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB					
eatures	- F 7 - F - 5 - 57		···, ··· · ·, ··· · ·, ···, ···, ···,			
olor scanning	Yes					
ican speed Normal <sup>5</sup>	Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color) Letter; Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color) A4 <b>Duplex</b> : Up to 240 ipm					
	(b&w), up to 240 ipm (color) Letter ; Up to 240 ipm (b&w), up to 240 ipm (color) A4					
,, , , , , , , , , , , , , , , , , , ,	ADF; Flatbed / Platen Scanner CCD Digital-CIS					
	Hardware: UP to 600 x 600 dpi; Optical: Up	'				
	Hi-Compression PDF; JPEG; MTIFF; PDF; PD					
		to Email; Scan to Network Folder; Scan	to USB; Scan to Job Storage; Open Extensib	ility Platform (OXP), HP Workpath		
	applications					
	<b>ADF Maximum:</b> 297 x 420 mm; 11 x 17 in	,				
canner advanced features	Embedded OCR; optimize text/picture (autremoval: job separation (blank page, barco	to); scan to multi-destination; automat	c tone; auto orientation; multi-feed detection	on; document editing; auto paper color		
	//	oue,, watermark, starrys				
	Yes, single pass duplex scanning					
	Standard, 200 sheets					
	Version 2.4					
	24-bit/256	. 160 1: 1: 61 ::	IL STD. IL STD. IL IANG			
	Scan to e-mail; save-to-network folder; save-to-USB drive; send to Sharepoint; send to FTP; send to sFTP; send to LAN fax; send to Internet Fax; local address book; SMTP over SSL; auto color sense; compact PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (auto, text, mixed, printed picture, photograph); content orientation; ID scan; job build; watermark; stamps; book mode scans; erase edges; image preview; blank page suppression; sc to multi destination, embedded OCR; auto-tone, auto orientation, autopage-crop; multi-feed detection; document editing; auto paper color removal; job separation automatically straighten					
	Letter Black	Up to 25 cpm	Up to 30 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE)		
	Letter Color	Up to 25 cpm	Up to 30 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE)		
	A4 Black	Up to 25 cpm	Up to 30 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE)		
	A4 Color	Up to 25 cpm	Up to 30 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE)		
	Letter Black Duplex	Up to 18 cpm	Up to 22 cpm (with 8EP56AAE)	Up to 24 cpm (with 8EP57AAE)		
	Letter Color Duplex	Up to 18 cpm	Up to 22 cpm (with 8EP56AAE)	Up to 24 cpm (with 8EP57AAE)		
	A4 Black Duplex	Up to 18 cpm	Up to 22 cpm (with 8EP56AAE)	Up to 24 cpm (with 8EP57AAE)		
	A4 Color Duplex	Up to 18 cpm	Up to 22 cpm (with 8EP56AAE)	Up to 24 cpm (with 8EP57AAE)		
	First copy out Letter Black	As fast as 6.7 sec	As fast as 5.4 sec (with 8EP56AAE)	As fast as 4.8 sec (with 8EP57AAE)		
	First copy out Letter Color	As fast as 8.9 sec	As fast as 7.6 sec (with 8EP56AAE)	As fast as 6.8 sec (with 8EP57AAE)		
	First copy out A4 Black	As fast as 6.7 sec	As fast as 5.4 sec (with 8EP56AAE)	As fast as 4.8 sec (with 8EP57AAE)		
	First copy out A4 Color	As fast as 8.9 sec	As fast as 7.6 sec (with 8EP56AAE)	As fast as 6.8 sec (with 8EP57AAE)		
opy resolution	Black (text and graphics):; Up to $600 \times 60$	00 dpi ; Color (text and graphics): Up to	600 x 600 dpi			
Maximum number of copies	Up to 9999 copies					
	25 to 400%					
·	25 10 400%	Booklet; Collation; Content orientation; Crop; Edge Erase; ID Scan; Image adjustment; Job build; Job storage; N or Z-ordering; N-up; Scalability; Text/Photo; Two-side copy; Watermark; Scan mode (book, 2-sided ID); Stamps; Image shift; Image preview; Paper selection; Blank page suppression; Automatically strainghten; Automatical detect color/monochrome; Auto tone; Multi-feed detection; Document editing; Auto paper color removal; Job separation				
opier resize opier settings	Booklet; Collation; Content orientation; Cr copy; Watermark; Scan mode (book, 2-sid	ed ID); Stamps; Image shift; Image prev	ew; Paper selection; Blank page suppression	; N-up; Scalability; Text/Photo; Two-side n; Automatically strainghten; Automatica 		
opier resize opier settings	Booklet; Collation; Content orientation; Cr copy; Watermark; Scan mode (book, 2-sid	ed ID); Stamps; Image shift; Image prev	ew; Paper selection; Blank page suppression	; N-up; Scalability; Text/Photo; Two-side n; Automatically strainghten; Automatica		
opier resize opier settings ax speed	Booklet; Collation; Content orientation; Cr copy; Watermark; Scan mode (book, 2-sid detect color/monochrome; Auto tone; Mu <b>Up to:</b> 33.6 kbps / <b>Letter:</b> 3 sec per page	ed ID); Štamps; Image shift; Image prev Iti-feed detection; Document editing; A	ew; Paper selection; Blank page suppression ato paper color removal; Job separation	; N-up; Scalability; Text/Photo; Two-side n; Automatically strainghten; Automatica 		
opier resize opier settings ax speed ax resolution ax Features	Booklet: Collation; Content orientation; Cr copy; Watermark; Scan mode (book, 2-sid detect color/monochrome; Auto tone; Mu Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 4 Fax memory: Up to 500 pages; Up to 500   Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing nu	ed ID); Stamps; Image shift; Image prev lti-feed detection; Document editing; A 100 dpi for received faxes only); Black (s	ew; Paper selection; Blank page suppression uto paper color removal; Job separation :tandard): 203 × 98 dpi	n; Automatically strainghten; Automatic		
opier resize opier settings  ax speed ax resolution ax Features tandard connectivity	Booklet; Collation; Content orientation; Cr copy; Watermark; Scan mode (book, 2-sid detect color/monochrome; Auto tone; Mu Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 4 Fax memory: Up to 500 pages; Up to 500   Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing no No Telephone handset supported: No	ed ID); Stamps; Image shift; Image prev lti-feed detection; Document editing; A 800 dpi for received faxes only); Black (s pages Auto fax reduction supported: Y TAM interface supported: No Fax pollin umbers: Up to 1000 numbers (each with	ew; Paper selection; Blank page suppression uto paper color removal; Job separation standard): 203 x 98 dpi	n; Automatically strainghten; Automatica No Distinctive ring detection supported: elephone mode supported: No Junk barr Yes Remote retrieval capability supporte		
opier resize opier settings ax speed ax resolution ax Features tandard connectivity	Booklet; Collation; Content orientation; Cr copy; Watermark; Scan mode (book, 2-sid detect color/monochrome; Auto tone; Mu Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 4 Fax memory: Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing nu No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000TX network	ed ID; Stamps; Image shift; Image prev lti-feed detection; Document editing; A 100 dpi for received faxes only); Black (s pages Auto fax reduction supported: Yi TAM interface supported: No Fax pollin Imbers: Up to 1000 numbers (each with ork; 1 Hardware Integration Pocket 2nd	ew; Paper selection; Blank page suppression uto paper color removal; Job separation standard): 203 x 98 dpi es Auto-redialing: Yes Fax delayed sending: New Sendi	n; Automatically strainghten; Automatica No Distinctive ring detection supported: elephone mode supported: No Junk barr Yes Remote retrieval capability supporte		
opier resize opier settings ax speed ax resolution ax Features tandard connectivity etwork capabilities	Booklet; Collation; Content orientation; Cr copy; Watermark; Scan mode (book, 2-sid detect color/monochrome; Auto tone; Mu Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 4 Fax memory: Up to 500 pages; Up to 500; Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing n No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000TX netwo SuperSpeed USB 3.0 (host)	ed ID; Stamps; Image shift; Image prev lti-feed detection; Document editing; A 100 dpi for received faxes only); Black (s pages Auto fax reduction supported: W TAM interface supported: No Fax pollin Imbers: Up to 1000 numbers (each with ork; 1 Hardware Integration Pocket 2nd Ethernet)	ew; Paper selection; Blank page suppression uto paper color removal; Job separation standard): 203 x 98 dpi es Auto-redialing: Yes Fax delayed sending: New Sendi	n; Automatically strainghten; Automatically Stra		
opier resize opier settings  ax speed ax resolution ax Features  tandard connectivity etwork capabilities //ireless capability	Booklet; Collation; Content orientation; Crcopy; Watermark; Scan mode (book, 2-sid detect color/monochrome; Auto tone; Mu Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 4 Fax memory: Up to 500 pages; Up to 500; Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing n No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000TX netwo SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Optional, enabled with purchase of a hard	ed ID); Stamps; Image shift; Image prev lti-feed detection; Document editing; A 100 dpi for received faxes only); Black (s pages Auto fax reduction supported: W TAM interface supported: No Fax pollin Imbers: Up to 1000 numbers (each with ork; 1 Hardware Integration Pocket 2nd Ethernet) ware accessory	ew, Paper selection; Blank page suppression uto paper color removal; Job separation standard): 203 x 98 dpi es Auto-redialing: Yes Fax delayed sending: Neg supported: Yes (poll to receive only) Fax ten 210 destinations) PC interface supported: generation (HIP2); 1 Hi-Speed USB 2.0 (hos	n; Automatically strainghten; Automatic No Distinctive ring detection supported: elephone mode supported: No Junk barr Yes Remote retrieval capability support		
opier resize opier settings  ax speed ax resolution ax Features  tandard connectivity letwork capabilities Vireless capability lobile printing capability	Booklet; Collation; Content orientation; Cr copy; Watermark; Scan mode (book, 2-sid detect color/monochrome; Auto tone; Mu Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 4 Fax memory: Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing n No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000TX netwo SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Optional, enabled with purchase of a hard Apple AirPrint™, Mopria™ Certified; Wi-Fi®	ed ID); Stamps; Image shift; Image prev lti-feed detection; Document editing; A 100 dpi for received faxes only); Black (s pages Auto fax reduction supported: W TAM interface supported: No Fax pollin Imbers: Up to 1000 numbers (each with ork; 1 Hardware Integration Pocket 2nd Ethernet) ware accessory	ew, Paper selection; Blank page suppression uto paper color removal; Job separation standard): 203 x 98 dpi es Auto-redialing: Yes Fax delayed sending: Neg supported: Yes (poll to receive only) Fax ten 210 destinations) PC interface supported: generation (HIP2); 1 Hi-Speed USB 2.0 (hos	n; Automatically strainghten; Automatic No Distinctive ring detection supported: elephone mode supported: No Junk barn Yes Remote retrieval capability support		
opier resize opier settings  ax speed ax resolution ax Features  tandard connectivity letwork capabilities Vireless capability lebile printing capability	Booklet; Collation; Content orientation; Crcopy; Watermark; Scan mode (book, 2-sid detect color/monochrome; Auto tone; Mu Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 4 Fax memory: Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing n No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000TX netwo SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Optional, enabled with purchase of a hard Apple AirPrint™, Mopria™ Certified; Wi-Fi®l Standard: 6 GB; Maximum: 6 GB	ed ID); Stamps; Image shift; Image prev Iti-feed detection; Document editing; A 100 dpi for received faxes only); Black (spages Auto fax reduction supported: No Fax pollin umbers: Up to 1000 numbers (each with ork; 1 Hardware Integration Pocket 2nd Ethernet) ware accessory  Direct Printing; NFC Touch-to-print (op	ew, Paper selection; Blank page suppression uto paper color removal; Job separation  standard): 203 x 98 dpi  ss Auto-redialing: Yes Fax delayed sending: Nes gupported: Yes (poll to receive only) Fax ten 210 destinations) PC interface supported:  generation (HIP2); 1 Hi-Speed USB 2.0 (hose contact); PrinterOn Print	n; Automatically strainghten; Automatic No Distinctive ring detection supported: elephone mode supported: No Junk barr Yes Remote retrieval capability support t); 1 SuperSpeed USB 3.0 (device); 1		
opier resize opier settings  ax speed ax resolution ax Features  itandard connectivity letwork capabilities vireless capability flobile printing capability frocessor speed	Booklet; Collation; Content orientation; Crcopy; Watermark; Scan mode (book, 2-sid detect color/monochrome; Auto tone; Mu Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 4 Fax memory: Up to 500 pages; Up to 5	ed ID); Stamps; Image shift; Image prev Iti-feed detection; Document editing; A 1000 dpi for received faxes only); Black (spages Auto fax reduction supported; War TAM Interface supported; No Fax pollin umbers: Up to 1000 numbers (each with ork; 1 Hardware Integration Pocket 2nd Ethernet) ware accessory Direct Printing; NFC Touch-to-print (op Storage Standard, embedded 500 GB If Standard Stan	ew; Paper selection; Blank page suppression uto paper color removal; Job separation  standard): 203 x 98 dpi es Auto-redialing: Yes Fax delayed sending: Ng supported: Yes (poll to receive only) Fax to 210 destinations) PC interface supported: generation (HIP2); 1 Hi-Speed USB 2.0 (hose it in a 210 destinations) PC interface supported: generation (HIP2); 1 Hi-Speed USB 2.0 (hose it in a 210 destinations) PC interface supported: generation (HIP2); 1 Hi-Speed USB 2.0 (hose it in a 210 destinations); PrinterOn Print	n; Automatically strainghten; Automatically strainghten; Automatically strainghten; Automatically Strainghten; Automatically Strainghold S		
opier resize opier settings  ax speed ax resolution ax Features  tandard connectivity letwork capabilities Vireless capability flobile printing capability frocessor speed	Booklet; Collation; Content orientation; Crcopy; Watermark; Scan mode (book, 2-sid detect color/monochrome; Auto tone; Mu Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 4 Fax memory: Up to 500 pages; Up to 5	ed ID); Stamps; Image shift; Image prev Iti-feed detection; Document editing; A 1000 dpi for received faxes only); Black (spages Auto fax reduction supported; War TAM Interface supported; No Fax pollin umbers: Up to 1000 numbers (each with ork; 1 Hardware Integration Pocket 2nd Ethernet) ware accessory Direct Printing; NFC Touch-to-print (op Storage Standard, embedded 500 GB If Standard Stan	ew, Paper selection; Blank page suppression uto paper color removal; Job separation  standard): 203 x 98 dpi  ss Auto-redialing: Yes Fax delayed sending: Nes gupported: Yes (poll to receive only) Fax ten 210 destinations) PC interface supported:  generation (HIP2); 1 Hi-Speed USB 2.0 (hose contact); PrinterOn Print	n; Automatically strainghten; Automatically strainghten; Automatically strainghten; Automatically Strainghten; Automatically Strainghold S		

# Technical specifications

Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 10 envelopes; Input Capacities, Max: Up to 3140 sheets; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets Transparencies; Duplex Options: Automatic; Envelope feeder: No; Standard paper
	trays: 3
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy
	111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, Card stock
Madiasiaba aa autad	176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Color Transparency, Labels, Letterhead, Envelope, Preprinted, Pre punched, Colored
Media weight supported	Tray 1: 16 to 79.5 lb bond; Tray 2, 3: 16 to 58.5 lb bond; Tray 1: 60 to 300 g/m²; Tray 2, 3: 60 to 220 g/m²
Media sizes supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio 8.5 × 13, 11 × 17, 4 × 6, 5 × 7, 5 × 8,10 × 15, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Letter R, Legal, Executive, Statement, Oficio, 4 × 6, 5 × 7, 5 × 8, 16k; Tray 3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 × 17, 8k, 16k Tray 1: A3, A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Postcard (JIS), Envelope B5, Envelope C6, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, RA4, B4 (JIS), B5 (JIS), Oficio, 16k; Tray 3: A3, A4, A4R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio, 16k; Tray 3: A3, A4, A4R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k
Media Sizes Custom	Tray 1: 3.86 x 5.83 to 11.69 x 17 in; Tray 2: 5.48 x 8.27 to 11.69 x 14.33 in; Tray 3: 5.48 x 8.27 to 11.69 x 17 in Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.7 x 210 mm to 297 x 432 mm
What's in the box	5QJ94A In box materials; Guide install; Flyer Regulatory; Power Cords; Keyboard/Overlay for Z model; Label; Drums.
Replacement cartridges <sup>1</sup>	HP Black Managed LJ Toner Cartridge (ISO Yield 29,000) W9150MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 24,000) W9151MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 24,000) W9153MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 24,000) W9153MC
Product dimensions	Wxdxh: 640.8 x 725.5 x 908.1 mm; 25.2 x 28.6 x 35.8 in Maximum: 1681 x 1196 x 1241 mm; 66.2 x 47.1 x 48.9 in
Product weight	~84.2 kg; ~185.7 lb
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region.
Energy star certified	Yes
Ecolabels	EPEAT® registered; Blue Angel; IT ECO Declaration
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)
Software included	No software solutions are included in the Box only on http://hp.com.http://123.hp.com
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
Compatible operating systems	Windows Client OS (32/64 bit)-, Win10, Win11, Win7 Ultimate, Mobile OS's-, iOS, Android, Apple macOS's-, Apple macOS Catalina v10.15, Apple macOS Big Sur v11.0, Apple macOS Monterey v12.0, (All operating systems with the latest updates)
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2026 64-bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification – Up to Citrix Server 7.18 for more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://hp.com/go/unixmodelscripts, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://hp.com/go/unixmodelscripts, (All operating systems with the latest updates)
Minimum system requirements	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage:110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 10.0 A 220 to 240 VAC (+/-10%),
rowei	50/60 Hz (+/-3 Hz), 5.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); <b>Power consumption</b> : 580 watts (25ppm, printing), 670 watts (30ppm, printing), 720 watts (35ppm, printing), 32.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)
Acoustics	Acoustic power emissions: 6.60 Bel(A), printing color simplex A4 at 25ppm; 6.70 Bel(A), printing color simplex A4 at 30ppm; 6.75 Bel(A), printing color simplex A4 at 35ppm; Acoustic Pressure Emissions (active, printing): 50 dB(A), printing color simplex A4 at 25ppm; 51 dB(A), printing color simplex A4 at 30ppm; 52 dB(A), printing color simplex A4 at 35ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90ipm; 58 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 60ipm
Operating environment	Operating temperature range: 15 to 30°C 59 to 86°F; Recommended operating temperature: 15 to 30°C 59 to 86°F; Storage temperature range: -10 to 40°C 14 to 104°F; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH

### **Messaging Footnotes**

- HPs most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-
- dass printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrinterSthatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims

  Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps.

  To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.

- a lo enable HIP workpath, some devices may require optional accessory or infimilare to be upgraded. Subscription may be required.

  Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

  HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin

  HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details

  HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details

  Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP962OIntrusion%20Detection.pdf

  IN June Polity of the province of the province that second the province that s

- running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/mies/epinies/Lertincation%20/eport%20-%20H-%20H-%20H7/w20H Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.

  HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See
- http://www.epeat.net for registration status by country

HP printer, HP paper and Original HP supply – Blue Angel DE-UZ 219 Emissions Criteria.

Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

#### **Technical Specifications Footnotes**

- Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.

  Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>3</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 4 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)













