

# HP Color LaserJet Managed MFP E786 Series



## Product Guide



Unleash  
peak productivity



HP WOLF SECURITY

Always on guard with  
HP Wolf Security<sup>1</sup>



Next-generation Flow  
technology

# Unleash peak productivity

Now, you can accelerate your print and scan workflows to maximize business productivity with the HP LaserJet Managed MFP E700 series.

The result: more time for your core business and less time waiting for prints and scans.



## POWERED BY SYSTEM ON A CHIP

With x7 more compute power<sup>2</sup> than previous models, the HP LaserJet Managed MFP E700 series is a powerhouse of speed with all print, copy, scan, security, and other display subsystems integrated into a single chip.



## FAST SLEEP TO FIRST COPY OUTPUT TIME (FCOT)

Compared to previous generation printers, the HP LaserJet Managed MFP E700 series features accelerated FCOT time so your printer wakes up quickly from sleep mode as soon as you use the touchscreen to deliver your prints or copies faster.



## UP TO 35PPM PRINTING SPEED<sup>3</sup>

Meet tight deadlines, save time on everyday printing tasks, and be ready for unexpected multi-print requests. HP delivers the speed needed for maximum productivity.



## PROTECT YOUR INVESTMENT AND MAINTAIN PRODUCTIVITY

Stay productive and ensure you always have the latest optimized features across your fleet for years to come with upgradeable HP FutureSmart firmware. Get consistent, intuitive user controls across devices, seamlessly incorporate paper and digital content to improve workflows, and easily install updates on your schedule.



## 10.1-INCH COLOR TOUCHSCREEN DISPLAY

Experience the ultimate in productivity with a vivid and intuitive display that helps make the HP LaserJet Managed MFP E700 series easy to use, no matter how you use your MFP.



# Do more with next-generation Flow technology

Businesses grow and evolve, so should your MFP. The next-generation of HP Flow technology makes that possible. Its cloud-based software provides flexible, customized cloud-connected solutions to help optimize your print and scan workflows - today and as they change in the future.

## ONE SCAN. MULTIPLE DESTINATIONS.

---

Sending documents to recipients in multiple destinations with multiple delivery requirements? Not a problem. With HP Flow technology, you can scan once and simply manage your files with the color touchscreen for customized delivery options for each recipient - email, fax, SharePoint, and even print a paper copy.<sup>4</sup> HP saves you time and does it all in just one scan operation.

## CUSTOMIZED DIGITAL EDITING OF SCANNED DOCUMENTS

---

With Flow technology, you can digitally edit and personalize copies of the original using direct manipulation of scanned content at the MFP. Use the 10.1-inch color touchscreen display to edit, markup, redact, and highlight comments for recipients.

## FAST DUPLEX SCANNING

---

Keep pace with demand for digital documentation with fast 240 ipm<sup>5</sup> duplex scanning and enhanced OCR capabilities. Plus, you can further increase performance with the optional Workflow accelerator card.<sup>6</sup>

## SCAN SMARTER. LOAD AND GO.


---

Flow's auto-sensing technology feature is your silent digital workflow assistant. Smart auto-sensing does it all - from picking the best image quality based on type (text or photo) and paper tone/color, to detecting 2-sided prints, and automatic separation of scan jobs. The result: higher productivity and job management accuracy along with professional-looking prints that make your business look good.

# Designed for impact

Today's workplace is more open and fluid, helping foster collaboration and communication among team members. Your HP printer can play a key role.

Make a visual statement at your workplace with six distinct, easy-to-install color panels<sup>7</sup> to suit your office décor, represent your brand, and energize your space.



## Better printing for a better planet

Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel, and Energy Star standards,<sup>8</sup> supporting HP's goal for carbon neutrality and a fully sustainable economy.

- **SUPPORT ZERO DEFORESTATION<sup>9</sup>** - The fiber-based packaging for this product, including the outer box and interior fiber-based cushions, is 100% sustainably sourced, meaning it's made from recycled or certified content.
- **DESIGNED TO ELIMINATE WASTE<sup>10</sup>** - Our devices are made with the planet in mind with energy-efficient printing and toner cartridges with more than 59%<sup>11</sup> recycled cartridge content<sup>12</sup> and 90% recycled packaging content. Printing that puts the planet first.
- **BREAKTHROUGH TONER TECHNOLOGY** - With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.<sup>13</sup>
- **REDUCE PAPER WASTE** - By using HP Pull/Pin printing solutions and duplex print as the default<sup>14</sup> setting, our devices conserve paper wherever possible.
- **EXTEND PRODUCT LIFE** - Our durable modular designs and HP SDS predictive diagnostics help to keep our products up and running longer.
- **EASY RECYCLING WITH HP PLANET PARTNERS<sup>15</sup>** - Our sustainable efforts don't stop when you stop printing. With HP Planet Partners, we provide a convenient way to recycle HP IT hardware and supplies after use.



# Always on guard with HP Wolf Security<sup>1</sup>

HP Managed MFPs are the world's most secure printing devices<sup>16</sup> in the industry. They're always on the lookout, continually stopping threats while adapting to new ones. Only HP printers can automatically self-heal from attacks, so IT doesn't need to intervene. For peace of mind, HP Wolf Enterprise Security is included with every HP LaserJet Managed MFP E700 Series so you can feel protected whether you are collaborating, on premise, or via the cloud.

## ALWAYS-ON PROTECTION

---

- HP Sure Start checks the BIOS/boot code at start up to validate the integrity of the BIOS code
- Memory Shield™ active system monitoring with expanded memory protection from malware injection attacks
- HP Connection Inspector inspects outgoing network connections to stop suspicious requests like malware
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP
- Receive instant notification of security issues via leading Security Information and Event Management (SIEM) tools like Splunk, ArcSight, McAfee, and SIEMonster

## ALWAYS-ON DETECTION

---

- Protects with zero-day detection of threats
- Prevents malware attacks by ensuring that the execution flow on the device cannot be altered
- Monitors the execution flow for potential zero-day attacks with Control Flow Integrity
- Self-heals and reboots to a safe state of operation when malware is detected
- Detects attacks in runtime memory via an integrated chip that provides hardware-level protection


## ENTERPRISE-WIDE SECURITY

---

HP Security Manager<sup>17</sup> offers an effective, policy-based approach to help secure HP printing and imaging devices. Easily set security configuration policies and automatically validate settings for every HP printer and MFP in your fleet.

# Get to know the HP LaserJet Managed MFP E786 series

## HP Color LaserJet Managed Flow MFP E786z shown



# Series at a glance



Flow MFP E786z  
25ppm



Flow MFP E786z  
30ppm



Flow MFP E786z  
35ppm

Model	Flow MFP E786z 25ppm	Flow MFP E786z 30ppm	Flow MFP E786z 35ppm
Product number	5QJ94A	5QJ94A (Base) + 8EP56AAE (Speed license)	5QJ94A (Base) + 8EP57AAE (Speed license)
Functions	Print, copy, and scan (fax and wireless optional) (all models)		
Print speed (A4 and letter, black and color)	Up to 25 ppm	Up to 30 ppm	Up to 35 ppm
Scan speed (A4 and letter, black and color)	120 ppm/240 ipm, simplex/duplex		
ADF capacity	200 sheets		
Input capacity	Standard: 1,140 sheets; Maximum: 3,140 sheets (all models)		
Advanced workflow features	HP EveryPage technology, <sup>19</sup> full size keyboard, embedded OCR, auto orientation, auto-tone, auto page-crop, document editing, auto paper color removal, job separation		



MFP E786dn  
25ppm



MFP E786dn  
30ppm



MFP E786dn  
35ppm

Model	MFP E786dn 25ppm	MFP E786dn 30ppm	MFP E786dn 35ppm
Product number	5QJ90A	5QJ90A (Base) + 8EP56AAE (Speed license)	5QJ90A (Base) + 8EP57AAE (Speed license)
Functions	Print, copy, and scan (fax and wireless optional) (all models)		
Print speed (A4 and letter, black and color)	Up to 25 ppm	Up to 30 ppm	Up to 35 ppm
Scan speed (A4 and letter, black and color)	90 ppm/180 ipm, simplex/duplex		
ADF capacity	200 sheets		
Input capacity	Standard: 1,140 sheets; Maximum: 3,140 sheets (all models)		
Advanced workflow features	No		

# E786z Technical specifications

<b>Functions</b>	Print, copy, scan, fax (optional)			
<b>Print speed</b> <sup>3,20</sup>	<b>Letter Black</b>	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)
	<b>Letter Color</b>	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)
	<b>A4 Black</b>	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)
	<b>A4 Color</b>	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)
	<b>First page out Letter Black</b>	As fast as 11.1 sec	As fast as 9.4 sec (with 8EP56AAE)	As fast as 9.1 sec (with 8EP57AAE)
	<b>First page out Letter Color</b>	As fast as 13.0 sec	As fast as 11.4 sec (with 8EP56AAE)	As fast as 10.8 sec (with 8EP57AAE)
	<b>First page out A4 Black</b>	As fast as 11.1 sec	As fast as 9.4 sec (with 8EP56AAE)	As fast as 9.1 sec (with 8EP57AAE)
	<b>First page out A4 Color</b>	As fast as 13.0 sec	As fast as 11.4 sec (with 8EP56AAE)	As fast as 10.8 sec (with 8EP57AAE)
<b>Print resolution</b>	<b>Black (best):</b> Up to 1200 x 1200 dpi reduced speed; <b>Black (normal):</b> Up to 600 x 600 dpi; <b>Black (fine lines):</b> Up to 1200 x 1200 dpi; <b>Color (best):</b> Up to 1200 x 1200 dpi reduced speed; <b>Color (normal):</b> Up to 600 x 600 dpi; <b>Color (fine lines):</b> Up to 1200 x 1200 dpi			
<b>Print technology</b>	Laser; <b>Optical:</b> Normal (600 x 600 4 bit), Best (1200 x 1200 1 bit)			
<b>Print cartridges number</b>	4 (1 each black, cyan, magenta, yellow)			
<b>Standard print languages</b>	HP PCL 5c, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible			
<b>Printer smart software features</b>	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB			
<b>Color scanning</b>	Yes			
<b>Scan speed Normal</b> <sup>9</sup>	Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color); Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color) <b>Duplex:</b> Up to 240 ipm (b&w), up to 240 ipm (color); Up to 240 ipm (b&w), up to 240 ipm (color)			
<b>Scan type / Technology</b>	ADF; Flatbed / Platen Scanner CCD Digital-CIS			
<b>Scan resolution</b>	<b>Hardware:</b> UP to 600 x 600 dpi; <b>Optical:</b> Up to 600 x 600 dpi			
<b>Scan file format</b>	Hi-Compression PDF; JPEG; MTIFF; PDF; PDF/A; RTF; TIFF; XPS			
<b>Scan input modes</b>	Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXF), HP Workpath applications			
<b>Scan size</b>	<b>ADF Maximum:</b> 297 x 864 mm; 11.7 x 34 in <b>ADF Minimum:</b> 68 x 127 mm; 2.7 x 5 in <b>Flatbed:</b> 297 x 432 mm; 11.69 x 17 in			
<b>Scanner advanced features</b>	Embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto-orientation; multi-feed detection; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps			
<b>Duplex ADF scanning</b>	Yes			
<b>ADF capacity</b>	Standard, 200 sheets			
<b>Twain version</b>	Version 2.4			
<b>Bit depth / Grayscale levels</b>	24-bit/256			
<b>Digital sending standard features</b>	Scan to e-mail; save-to-network folder; save-to-USB drive; send to Sharepoint; send to FTP; send to sFTP; send to LAN fax; send to Internet Fax; local address book; SMTP over SSL; auto color sense; compact PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (auto, text, mixed, printed picture, photograph); content orientation; ID scan; job build; watermark; stamps; book mode scans; erase edges; image preview; blank page suppression; scan to multi-destination, embedded OCR; auto-tone, auto-orientation, autopage-crop; multi-feed detection; document editing; auto paper color removal; job separation; automatically straighten			
<b>Copy speed</b>	<b>Letter Black</b>	Up to 25 cpm	Up to 30 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE)
	<b>Letter Color</b>	Up to 25 cpm	Up to 30 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE)
	<b>A4 Black</b>	Up to 25 cpm	Up to 30 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE)
	<b>A4 Color</b>	Up to 25 cpm	Up to 30 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE)
	<b>Letter Black Duplex</b>	Up to 18 cpm	Up to 22 cpm (with 8EP56AAE)	Up to 24 cpm (with 8EP57AAE)
	<b>Letter Color Duplex</b>	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)
	<b>A4 Black Duplex</b>	Up to 18 cpm	Up to 22 cpm (with 8EP56AAE)	Up to 24 cpm (with 8EP57AAE)
	<b>A4 Color Duplex</b>	Up to 18 cpm	Up to 22 cpm (with 8EP56AAE)	Up to 24 cpm (with 8EP57AAE)
	<b>First copy out Letter Black</b>	As fast as 6.7 sec	As fast as 5.4 sec (with 8EP56AAE)	As fast as 4.8 sec (with 8EP57AAE)
	<b>First copy out Letter Color</b>	As fast as 8.9 sec	As fast as 7.6 sec (with 8EP56AAE)	As fast as 6.8 sec (with 8EP57AAE)
	<b>First copy out A4 Black</b>	As fast as 6.7 sec	As fast as 5.4 sec (with 8EP56AAE)	As fast as 4.8 sec (with 8EP57AAE)
<b>First copy out A4 Color</b>	As fast as 8.9 sec	As fast as 7.6 sec (with 8EP56AAE)	As fast as 6.8 sec (with 8EP57AAE)	
<b>Copy resolution</b>	<b>Black (text and graphics):</b> ; Up to 600 x 600 dpi; <b>Color (text and graphics):</b> Up to 600 x 600 dpi			
<b>Maximum number of copies</b>	Up to 9999 copies			
<b>Copier resize</b>	25 to 400%			
<b>Copier settings</b>	Booklet; Collation; Content orientation; Crop; Edge Erase; ID Scan; Image adjustment; Job build; Job storage; N or Z-ordering; N-up; Scalability; Text/Photo; Two-sided copy; Watermark; Scan mode (book, 2-sided ID); Stamps; Image shift; Image preview; Paper selection; Blank page suppression; Automatically straighten; Automatically detect color/monochrome; Auto tone; Multi-feed detection; Document editing; Auto paper color removal; Job separation			
<b>Fax speed</b>	<b>Up to:</b> 33.6 kbps / <b>Letter:</b> 3 sec per page			



# E786z Technical specifications

<b>Fax resolution</b>	<b>Black (best):</b> Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); <b>Black (standard):</b> 203 x 98 dpi			
<b>Fax features</b>	<b>Fax memory:</b> Up to 500 pages; <b>Auto fax reduction supported:</b> Yes <b>Auto-redialing:</b> Yes <b>Fax delayed sending:</b> No <b>Distinctive ring detection supported:</b> No <b>Fax forwarding supported:</b> Yes <b>Fax phone TAM interface supported:</b> No <b>Fax polling supported:</b> Yes (poll to receive only) <b>Fax telephone mode supported:</b> No <b>Junk barrier supported:</b> Yes <b>Maximum speed dialing numbers:</b> Up to 1000 numbers (each with 210 destinations) <b>PC interface supported:</b> Yes <b>Remote retrieval capability supported:</b> No <b>Telephone handset supported:</b> No			
<b>Standard connectivity</b>	1 Gigabit Ethernet 10/100/1000TX network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host)			
<b>Network capabilities</b>	Standard (built-in Gigabit 10/100/1000T Ethernet)			
<b>Wireless capability</b>	Optional, enabled with purchase of a hardware accessory			
<b>Mobile printing capability</b>	Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; HP Roam; NFC Touch-to-print (optional); PrinterOn Print			
<b>Memory</b>	<b>Standard:</b> 6 GB; <b>Maximum:</b> 6 GB			
<b>Processor speed</b>	Quad Core (1.6GHz), Dual Core (1.4GHz) / <b>Storage:</b> Standard, embedded 500 GB hard disk drive / <b>Hard disk:</b> Standard, HP LaserJet 500 GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)			
<b>Duty cycle (monthly)</b>	Letter:	Up to 110,000 pages	Up to 130,000 pages (with 8EP56AAE)	Up to 150,000 pages (with 8EP57AAE)
	A4:	Up to 110,000 pages	Up to 130,000 pages (with 8EP56AAE)	Up to 150,000 pages (with 8EP57AAE)
<b>Recommended monthly page volume</b>	Up to 20,000			
<b>Paper handling</b>	<b>Input Capacities:</b> Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 10 envelopes; <b>Input Capacities, Max:</b> Up to 3140 sheets; <b>Output Capacities:</b> Up to 500 sheets Standard; Up to 100 sheets; <b>Duplex Options:</b> Automatic; <b>Envelope feeder:</b> No; <b>Standard paper trays:</b> 3			
<b>Media types supported</b>	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, Card stock 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Color Transparency, Labels, Letterhead, Envelope, Preprinted, Pre punched, Colored			
<b>Media weight supported</b>	<b>Tray 1:</b> 16 to 79.5 lb bond; <b>Tray 2, 3:</b> 16 to 58.5 lb bond			
<b>Media sizes supported</b>	<b>Tray 1:</b> Letter, Letter R, Legal, Executive, Statement, Oficio 8.5 x 13, 11 x 17, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 8k, 16k, Envelope #9, Envelope #10, Envelope Monarch; <b>Tray 2:</b> Letter, Letter R, Legal, Executive, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8, 16k; <b>Tray 3:</b> Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 8k, 16k			
<b>Media sizes Custom</b>	<b>Tray 1:</b> 3.86 x 5.83 to 11.69 x 17 in; <b>Tray 2:</b> 5.48 x 8.27 to 11.69 x 14.33 in; <b>Tray 3:</b> 5.48 x 8.27 to 11.69 x 17 in			
<b>What's in the box</b>	<b>5QJ94A</b> In box materials; Guide install; Flyer Regulatory; Power Cords; Keyboard/Overlay for Z model; Label; Drums.			
<b>Replacement cartridges<sup>21</sup></b>	HP Black Managed LJ Toner Cartridge (ISO Yield 29,000) W9150MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 24,000) W9151MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 24,000) W9152MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 24,000) W9153MC. Toner cartridge availability differs by region. For more detail, please find your market datasheets.			
<b>Product dimensions</b>	<b>W x d x h:</b> 640.8 x 725.5 x 908.1 mm; 25.2 x 28.6 x 35.8 in <b>Maximum:</b> 1681 x 1196 x 1241 mm; 66.2 x 47.1 x 48.9 in			
<b>Product weight</b>	~84.2 kg; ~185.7 lb			
<b>Warranty features</b>	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to <a href="http://hp.com/support">hp.com/support</a> to learn about HP award winning service and support options in your region.			
<b>Energy star certified</b>	Yes			
<b>Ecolabels</b>	EPEAT® registered; Blue Angel; IT ECO Declaration			
<b>Control panel</b>	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker			
<b>Display description</b>	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)			
<b>Software included</b>	No software solutions are included in the Box; only on <a href="http://hp.com">http://hp.com</a> <a href="http://123.hp.com">http://123.hp.com</a>			
<b>Compatible operating systems</b>	Windows Client OS (32/64 bit), Win10, Win11, Win7 Ultimate, Mobile OS's, iOS, Android, Apple macOS's, Apple macOS Catalina v10.15, Apple macOS Big Sur v11.0, Apple macOS Monterey v12.0, (All operating systems with the latest updates)			
<b>Compatible network operating systems</b>	Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 718 for more information, see <a href="http://citrixready.citrix.com">http://citrixready.citrix.com</a> , Linux- For more information, see <a href="http://developers.hp.com/hp-linux-imaging-and-printing">http://developers.hp.com/hp-linux-imaging-and-printing</a> , Unix- For more information, see <a href="http://hp.com/go/unixmodelscripts">http://hp.com/go/unixmodelscripts</a> , (All operating systems with the latest updates)			
<b>Minimum system requirements</b>	<b>PC:</b> 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see <a href="http://microsoft.com">microsoft.com</a> ; <b>Mac:</b> 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see <a href="http://apple.com">apple.com</a>			
<b>Power</b>	<b>Power supply type:</b> Internal (Built-in) power supply; <b>Power requirements:</b> Input voltage: 100 to 127 VAC 50/60 Hz, 110 to 127 VAC 50/60 Hz, 220 to 240 VAC 50/60 Hz (Not dual voltage, power supply varies by part number with # Option code identifier); <b>Power consumption:</b> 580 watts (25ppm, printing), 670 watts (30ppm, printing), 720 watts (35ppm, printing), 32.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)			
<b>Acoustics</b>	<b>Acoustic power emissions:</b> 6.60 Bel(A), printing color simplex A4 at 25ppm; 6.70 Bel(A), printing color simplex A4 at 30ppm; 6.75 Bel(A), printing color simplex A4 at 35ppm; <b>Acoustic Pressure Emissions (active, printing):</b> 50 dB(A), printing color simplex A4 at 25ppm; 51 dB(A), printing color simplex A4 at 30ppm; 52 dB(A), printing color simplex A4 at 35ppm; <b>Acoustic Pressure Emissions (active scan):</b> 56 dB(A), ADF scan A4 at 90ipm; 58 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 60ipm			
<b>Operating environment</b>	<b>Operating temperature range:</b> 15 to 30°C; <b>Recommended operating temperature:</b> 15 to 30°C; <b>Storage temperature range:</b> -10 to 40°C; <b>Operating humidity range:</b> 20 to 80% RH; <b>Recommended humidity operating range:</b> 20 to 80% RH			

# E786dn Technical specifications

<b>Functions</b>	Print, copy, scan, fax (optional)			
<b>Print speed</b> <sup>3,20</sup>	<b>Letter Black</b> <b>Letter Color</b> <b>A4 Black</b> <b>A4 Color</b> <b>First page out Letter Black</b> <b>First page out Letter Color</b> <b>First page out A4 Black</b> <b>First page out A4 Color</b>	Up to 25 ppm Up to 25 ppm Up to 25 ppm Up to 25 ppm As fast as 11.1 sec As fast as 13.0 sec As fast as 11.1 sec As fast as 13.0 sec	Up to 30 ppm (with 8EP56AAE) Up to 30 ppm (with 8EP56AAE) Up to 30 ppm (with 8EP56AAE) Up to 30 ppm (with 8EP56AAE) As fast as 9.4 sec (with 8EP56AAE) As fast as 11.4 sec (with 8EP56AAE) As fast as 9.4 sec (with 8EP56AAE) As fast as 11.4 sec (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE) Up to 35 ppm (with 8EP57AAE) Up to 35 ppm (with 8EP57AAE) Up to 35 ppm (with 8EP57AAE) As fast as 9.1 sec (with 8EP57AAE) As fast as 10.8 sec (with 8EP57AAE) As fast as 9.1 sec (with 8EP57AAE) As fast as 10.8 sec (with 8EP57AAE)
<b>Print resolution</b>	<b>Black (best):</b> Up to 1200 x 1200 dpi reduced speed; <b>Black (normal):</b> Up to 600 x 600 dpi; <b>Black (fine lines):</b> Up to 1200 x 1200 dpi; <b>Color (best):</b> Up to 1200 x 1200 dpi reduced speed; <b>Color (normal):</b> Up to 600 x 600 dpi; <b>Color (fine lines):</b> Up to 1200 x 1200 dpi			
<b>Print technology</b>	Laser; <b>Optical:</b> Normal (600 x 600 4 bit); Best (1200 x 1200 1 bit)			
<b>Print cartridges number</b>	4 (1 each black, cyan, magenta, yellow)			
<b>Standard print languages</b>	HP PCL 5c, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible			
<b>Printer smart software features</b>	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB			
<b>Color scanning</b>	Yes			
<b>Scan speed Normal</b> <sup>9</sup>	Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color); Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) <b>Duplex:</b> Up to 180 ipm (b&w), up to 180 ipm (color); Up to 180 ipm (b&w), up to 180 ipm (color)			
<b>Scan type / Technology</b>	ADF; Flatbed / D-CIS; Platen Scanner (CCD)			
<b>Scan resolution</b>	<b>Hardware:</b> Up to 600 x 600 dpi; <b>Optical:</b> Up to 600 x 600 dpi			
<b>Scan file format</b>	Hi-Compression PDF; JPEG; MTIFF; PDF; PDF/A; TIFF; XPS			
<b>Scan input modes</b>	Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (EXP), HP Workpath applications			
<b>Scan size</b>	<b>ADF Maximum:</b> 297 x 864 mm; 11.7 x 34 in <b>ADF Minimum:</b> 68 x 127 mm; 2.7 x 5 in <b>Flatbed:</b> 297 x 432 mm; 11.69 x 17 in			
<b>Duplex ADF scanning</b>	Yes			
<b>ADF capacity</b>	Standard, 200 sheets			
<b>Twain version</b>	Version 2.4			
<b>Bit depth / Grayscale levels</b>	24-bit/256			
<b>Digital sending standard features</b>	Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten			
<b>Copy speed</b>	Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Color Duplex First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Color	Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 18 cpm Up to 25 ppm Up to 18 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec As fast as 6.7 sec As fast as 8.9 sec	Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 30 ppm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE) Up to 35 cpm (with 8EP57AAE) Up to 35 cpm (with 8EP57AAE) Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 35 ppm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE)
<b>Copy resolution</b>	<b>Black (text and graphics):</b> ; Up to 600 x 600 dpi ; <b>Color (text and graphics):</b> Up to 600 x 600 dpi			
<b>Maximum number of copies</b>	Up to 9999 copies			
<b>Copier resize</b>	25 to 400%			
<b>Copier settings</b>	Booklet; Collation; Content orientation; Edge Erase; Image adjustment; Job build; N or Z-ordering; N-up; Text/Photo; Two-sided copy; Watermark; reduce/enlarge; Scan mode (book, 2-sided ID); Stamps; Image overlay; Image shift; Image preview; Paper selection; Blank page suppression; Scan to job storage; Automatically straighten; Automatically detect color/monochrome			
<b>Fax speed</b>	<b>Up to:</b> 33.6 kbps / <b>Letter:</b> 3 sec per page			
<b>Fax resolution</b>	<b>Black (best):</b> Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); <b>Black (standard):</b> 203 x 98 dpi			
<b>Fax features</b>	<b>Fax memory:</b> Up to 500 pages; <b>Auto fax reduction supported:</b> Yes <b>Auto-redialing:</b> Yes <b>Fax delayed sending:</b> No <b>Distinctive ring detection supported:</b> No <b>Fax forwarding supported:</b> Yes <b>Fax phone TAM interface supported:</b> No <b>Fax polling supported:</b> Yes (poll to receive only) <b>Fax telephone mode supported:</b> No <b>Junk barrier supported:</b> Yes <b>Maximum speed dialing numbers:</b> Up to 1000 numbers (each with 210 destinations) <b>PC interface supported:</b> Yes <b>Remote retrieval capability supported:</b> No <b>Telephone handset supported:</b> No			

# E786dn Technical specifications

<b>Standard connectivity</b>	1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host)			
<b>Network capabilities</b>	Standard (built-in Gigabit 10/100/1000T Ethernet)			
<b>Wireless capability</b>	Optional, enabled with purchase of a hardware accessory			
<b>Mobile printing capability</b>	Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; HP Roam; NFC Touch-to-print (optional); PrinterOn Print			
<b>Memory</b>	<b>Standard:</b> 6 GB; <b>Maximum:</b> 6 GB			
<b>Processor speed</b>	Quad Core (1.6GHz), Dual Core (1.4GHz) / <b>Storage:</b> Standard, embedded 500 GB hard disk drive / <b>Hard disk:</b> Standard, HP LaserJet 500 GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)			
<b>Duty cycle (monthly)</b>	<b>Letter:</b>	Up to 110,000 pages	Up to 130,000 pages (with 8EP56AAE)	Up to 150,000 pages (with 8EP57AAE)
	<b>A4:</b>	Up to 110,000 pages	Up to 130,000 pages (with 8EP56AAE)	Up to 150,000 pages (with 8EP57AAE)
<b>Recommended monthly page volume</b>	Up to 20,000			
<b>Paper handling</b>	<b>Input Capacities:</b> Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 10 envelopes; <b>Input Capacities, Max:</b> Up to 3140 sheets; <b>Output Capacities:</b> Up to 500 sheets Standard; Up to 100 sheets; <b>Duplex Options:</b> Automatic; <b>Envelope feeder:</b> No; <b>Standard paper trays:</b> 3			
<b>Media types supported</b>	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, Card stock 76-220g, Light Paperboard 221-255g, Paperboard 256-300g, Color Transparency, Labels, Letterhead, Envelope, Preprinted, Pre punched, Colored			
<b>Media weight supported</b>	Tray 1: 16 to 79.5 lb bond; Tray 2, 3: 16 to 58.5 lb bond			
<b>Media sizes supported</b>	<b>Tray 1:</b> Letter, Letter R, Legal, Executive, Statement, Oficio 8.5 x 13, 11 x 17, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 8k, 16k, Envelope #9, Envelope #10, Envelope Monarch; <b>Tray 2:</b> Letter, Letter R, Legal, Executive, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8, 16k; <b>Tray 3:</b> Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 8k, 16k			
<b>Media sizes Custom</b>	<b>Tray 1:</b> 3.86 x 5.83 to 11.69 x 17 in; <b>Tray 2:</b> 5.48 x 8.27 to 11.69 x 14.33 in; <b>Tray 3:</b> 5.48 x 8.27 to 11.69 x 17 in			
<b>What's in the box</b>	<b>5QJ90A</b> In box materials; Guide install; Flyer Regulatory; Power Cords; Keyboard/Overlay for Z model; Label; Drums.			
<b>Replacement cartridges<sup>21</sup></b>	HP Black Managed LJ Toner Cartridge (ISO Yield 29,000) W9150MC; HP Cyan Managed LJ Toner Cartridge (ISO Yield 24,000) W9151MC; HP Yellow Managed LJ Toner Cartridge (ISO Yield 24,000) W9152MC; HP Magenta Managed LJ Toner Cartridge (ISO Yield 24,000) W9153MC Toner cartridge availability differs by region. For more detail, please find your market datasheets.			
<b>Product dimensions</b>	<b>W x d x h:</b> 585 x 646 x 908.1 mm; 23 x 25.4 x 35.8 in <b>Maximum:</b> 1681 x 1196 x 1241 mm; 66.2 x 47.1 x 48.9 in			
<b>Product weight</b>	~82.7kg; ~182.3 lb			
<b>Warranty features</b>	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to <a href="http://hp.com/support">hp.com/support</a> to learn about HP award winning service and support options in your region.			
<b>Energy star certified</b>	Yes			
<b>Ecolabels</b>	EPEAT® registered; Blue Angel; IT ECO Declaration			
<b>Control panel</b>	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker			
<b>Display description</b>	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)			
<b>Software included</b>	No software solutions are included in the Box; only on <a href="http://hp.com">http://hp.com</a> <a href="http://123.hp.com">http://123.hp.com</a>			
<b>Compatible operating systems</b>	Windows Client OS (32/64 bit), Win10, Win11, Win7 Ultimate, Mobile OS's, iOS, Android, Apple macOS's, Apple macOS Catalina v10.15, Apple macOS Big Sur v11.0, Apple macOS Monterey v12.0, (All operating systems with the latest updates)			
<b>Compatible network operating systems</b>	Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information, see <a href="http://citrixready.citrix.com">http://citrixready.citrix.com</a> , Linux- For more information, see <a href="http://developers.hp.com/hp-linux-imaging-and-printing">http://developers.hp.com/hp-linux-imaging-and-printing</a> , Unix- For more information, see <a href="http://hp.com/go/unixmodelscripts">http://hp.com/go/unixmodelscripts</a> , (All operating systems with the latest updates)			
<b>Minimum system requirements</b>	<b>PC:</b> 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements, see <a href="http://microsoft.com">microsoft.com</a> ; <b>Mac:</b> 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements, see <a href="http://apple.com">apple.com</a>			
<b>Power</b>	<b>Power supply type:</b> Internal (Built-in) power supply; <b>Power requirements:</b> Input voltage: 100 to 127 VAC 50/60 Hz, 110 to 127 VAC 50/60 Hz, 220 to 240 VAC 50/60 Hz (Not dual voltage, power supply varies by part number with # Option code identifier); <b>Power consumption:</b> 580 watts (25ppm, printing), 670 watts (30ppm, printing), 720 watts (35ppm, printing), 32.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)			
<b>Acoustics</b>	<b>Acoustic power emissions:</b> 6.60 Bel(A), printing color simplex A4 at 25ppm; 6.70 Bel(A), printing color simplex A4 at 30ppm; 6.75 Bel(A), printing color simplex A4 at 35ppm; <b>Acoustic Pressure Emissions (active, printing):</b> 50 dB(A), printing color simplex A4 at 25ppm; 51 dB(A), printing color simplex A4 at 30ppm; 52 dB(A), printing color simplex A4 at 35ppm; <b>Acoustic Pressure Emissions (active scan):</b> 56 dB(A), ADF scan A4 at 90ipm; 58 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 60ipm			
<b>Operating environment</b>	<b>Operating temperature range:</b> 15 to 30°C; <b>Recommended operating temperature:</b> 15 to 30°C; <b>Storage temperature range:</b> -10 to 40°C; <b>Operating humidity range:</b> 20 to 80% RH; <b>Recommended humidity operating range:</b> 20 to 80% RH			

# E786 Accessories<sup>22</sup>

Accessory Description	Accessory SKU #
HP LaserJet InnerFinisher 2/3 Hole Punch	155P7A
HP LaserJet InnerFinisher 2/4 Hole Punch	155P8A
HP Color LaserJet Workgroup Lunar Gray Color Panel	190A0A
HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel	190A6A
HP LaserJet Workgroup High Capacity Paper Tray/Stand Lunar Gray Color Panel	190A7A
HP LaserJet Workgroup Stand Lunar Gray Color Panel	190A9A
HP Color LaserJet Workgroup Comet Red Color Panel	190B0A
HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Comet Red Color Panel	190B6A
HP LaserJet Workgroup High Capacity Paper Tray/Stand Comet Red Color Panel	190B7A
HP LaserJet Workgroup Stand Comet Red Color Panel	190B9A
HP Color LaserJet Workgroup Cosmic Green Color Panel	190C0A
HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel	190C6A
HP LaserJet Workgroup High Capacity Paper Tray/Stand Cosmic Green Color Panel	190C7A
HP LaserJet Workgroup Stand Cosmic Green Color Panel	190C9A
HP Color LaserJet Workgroup Constellation Yellow Color Panel	190D0A
HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel	190D6A
HP LaserJet Workgroup High Capacity Paper Tray/Stand Constellation Yellow Color Panel	190D7A
HP LaserJet Workgroup Stand Constellation Yellow Color Panel	190D9A
HP Color LaserJet Workgroup Aurora Purple Color Panel	190F0A
HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel	190F6A
HP LaserJet Workgroup High Capacity Paper Tray/Stand Aurora Purple Color Panel	190F7A
HP LaserJet Workgroup Stand Aurora Purple Color Panel	190F9A
HP Removable Hard Drive Enclosure	2NR12A
HP Accessibility Kit	2TD64A
HP Jetdirect 3100w BLE/NFC/Wireless Accessory	3JN69A
HP Printing Voice Assistant	478C2A
HP Legic Secure USB Reader	4QL32A
Internal USB Expansion Kit	4XN67A
HP MFP 810 Analog Dual Fax	5QK14A
HP LaserJet 2x520 sheet Workgroup Paper Tray/Stand	6GW46A
HP LaserJet 2000 sheet Workgroup High Capacity Paper Tray/Stand	6GW48A
HP LaserJet Inner Finisher	6GW49A
HP LaserJet Booklet Finisher	6GW51A
HP LaserJet Workgroup Job Separator	6GW52A
HP LaserJet Workgroup Stand	6GW54A
HP LaserJet Stapler/Stacker Finisher	6GW55A
HP 500GB CCC, FIPS, TAA Hard Disk Drive	6HN31A
HP MFP 811 Analog Dual Fax	7ZA07A
HP MFP 800 Analog Single Fax	7ZA08A
HP MFP 801 Analog Single Fax	7ZA09A
HP Jetdirect LAN Accessory	8FP31A
HP 500GB CCC, FIPS Hard Disk Drive	9EQ11A
HP Foreign Interface Harness	B5L31A
HP SmartCard NIPRNet Solution for US Government	CC543B
HP SmartCard SIPRNet Solution for US Government	F8B30A
HP USB Universal Card Reader	X3D03A
HP LaserJet Hole Punch 2/3 Accessory	Y1G10A
HP LaserJet Inner/Booklet Staples	Y1G13A
HP LaserJet Stapler/Stacker Finisher Staples	Y1G14A
HP LaserJet Paper Tray Heaters Accessory	Y1G22A
HP LaserJet Second Exit Accessory	Y1G23A
HP HIP2 Keystroke Reader	Y7C05A
HP SIM for HID iClass for HIP2 Reader	Y7C07A
HP Color LaserJet Managed MFP E786 25 to 30ppm License	8EP56AAE
HP Color LaserJet Managed MFP E786 25 to 35ppm License	8EP57AAE
HP Color LaserJet Managed MFP E786 30 to 35ppm License	8LB46AAE

# Configuration

## HP Color LaserJet Managed MFP E786 series

Select only one finisher accessory:  
Recommended<sup>123</sup>



### Inner finisher (6GW49A)

#### Top tray:

- Up to 50 sheets (stack)
- Media size: up to A3 (11 x 17 in)
- Media weight: 60 to 300 gsm (16 to 79 lb)

#### Main tray:

- Up to 500 sheets (sort/stack/staple/punch)
- Media size up to A3 (11 x 17 in)
- Media weight: 60 to 256 gsm (16 to 68 lb)



### 2/3 Hole punch

- For Booklet or Stapler/stacker finisher (shown above): Y1G10A (2/3), Y1G11A(2/4), Y1G12A (Swedish)
- For Inner finisher: 155P7A(2/3) 155P8A(2/4), 155P9A(Swedish)



### Staples (5,000)

- For Inner finisher or Booklet finisher: Y1G13A
- For Stapler/stacker finisher or Booklet finisher: Y1G14A



### Booklet finisher (6GW51A)

#### Top tray:

- Up to 250 sheets (stack/ punch)
- Media size: up to A3 (11 x 17 in)
- Media weight: 60 to 300 gsm (16 to 79 lb)

#### Main tray:

- Up to 2,000 sheets (sort/stack/ staple/ punch)
- Media size: up to A3 (11 x 17 in)
- Media weight: 60 to 300 gsm (16 to 79 lb)

#### Booklet tray:

- ~5 sets of 25 sheets each (booklet)
- C-fold, V-fold




### Stapler/stacker finisher (6GW55A)

#### Top tray:

- Up to 250 sheets (stack/punch)
- Media size: up to A3 (11 x 17 in)
- Media weight: 60 to 300 gsm (16 to 79 lb)

#### Main tray:

- Up to 3,000 sheets (sort/stack/ staple/punch)
- Media size: up to A3 (11 x 17 in)
- Media weight: 60 to 300 gsm (16 to 79 lb)



### Job separator (6GW52A)

- Up to 125 sheets
- Media size: up to A3 (11 x 17 in)
- Media weight: 60 to 300 gsm (16 to 79 lb)

Standard on dn models:

### 200-sheet ADF

- Single pass, 2-sided scanning
- Scans up to 90 ppm, simplex and 180 ipm, duplex
- Media size: up to A3 (11 x 17 in)
- Media weight: 45 to 199 gsm (12 to 53 lb)

### 100-sheet multipurpose tray 1

- Media size: up to A3 (11 x 17 in)
- Media weight: 60 to 300 gsm (16 to 79 lb)

### 520-sheet tray 2

- Media size: up to B4 (legal)
- Media weight: 60 to 220 gsm (16 to 58 lb)

### 520-sheet tray 3


- Media size: up to A3 (11 x 17 in)
- Media weight: 60 to 220 gsm (16 to 58 lb)



Select input accessory:  
Requirements vary by region



### Stand (6GW54A)



### 2x520 sheet paper tray/stand (6GW46A)

- Tray 1: up to 520 sheets
- Tray 2: up to 520 sheets
- Media size: up to A3 (11 x 17 in)
- Media weight: 60 to 220 gsm (16 to 58 lb)



### 2000 sheet high-capacity paper tray/stand (6GW48A)

- Up to 2,000 sheets
- Media size: up to A4 (letter)
- Media weight: 60 to 176 gsm (16 to 47 lb)



### Tray heater 110V (Y1G22A)

### Tray heater 220V (Y1G22A)

Helps reduce paper jams in high humidity environments.

Optional; may choose one. If 2x520 sheet Paper Tray/Stand, or 2000 sheet High Capacity Paper Tray/Stand is selected, may select one additional tray heater.

# Paper Handling Accessories

## HP Color LaserJet Managed MFP E786 series



Stand (6GW54A)

Required:

Input capacity: N/A



2x520 sheet paper tray/stand (6GW46A)

Requirements vary by region; only one can be added at a time.

Tray 1: up to 520 sheets  
Tray 2: up to 520 sheets



2000 sheet high-capacity paper tray/stand (6GW48A)

Up to 2,000 sheets



Inner finisher (6GW49A)

Top tray: up to 50 sheets  
Main (finishing) tray: up to 500 sheets

One finisher accessory is recommended; only one can be added at a time.<sup>23</sup>

Staples up to 50 sheets



Stapler/stacker finisher (6GW55A)

Top tray: up to 250 sheets  
Main (finishing) tray: up to 3,000 sheets

Staples up to 65 sheets



Booklet finisher (6GW51A)

Top tray: up to 250 sheets  
Main (finishing) tray: up to 2,000 sheets  
Booklet tray: ~5 sets of 25 sheets each

Staples up to 65 sheets

# Disclaimers and trademarks

## Legal Footnotes

1. HP Security is now HP Wolf Security. Security features vary by platform; please see the product data sheet for details.
2. DMIPS comparison based on main system processor core on predecessor comparison; Managed E876/E825/E778/E731/E774/E724 series vs. Managed E800/E700 series product platforms.
3. Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims> Exact speed varies depending on the system configuration, software application, driver, and document complexity. E786 series models can print up to 35 ppm.
4. Management of customized delivery options are only available with the optional Workflow accelerator card; availability expected in January 2023.
5. Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Measured using standards found at: [http://standards.iso.org/ittf/PubliclyAvailableStandards/SC28\\_Test\\_Pages/](http://standards.iso.org/ittf/PubliclyAvailableStandards/SC28_Test_Pages/)
6. Workflow Accelerator card, 6HN30A will be available in January 2023.
7. Color panels are optional and availability may vary. Check with your HP Reseller for details.
8. HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See [http://www.epeat.net/for\\_registration\\_status\\_by\\_country](http://www.epeat.net/for_registration_status_by_country).
9. 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced, certified, and recycled fibers.
10. 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed.
11. Recycled Content 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See [hp.com/go/TonerRecycledContent](http://hp.com/go/TonerRecycledContent) for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.
12. See [hp.com/TonerRecycledContent](http://hp.com/TonerRecycledContent) for list of individual supply percentages for the Original HP Toner supply use of recycled content.
13. HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.
14. Dependent upon country setup specifications.
15. HP Planet Partners Program availability varies. For more information, visit [hp.com/hprecycle](http://hp.com/hprecycle)
16. HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit [hp.com/go/PrintersThatProtect](http://hp.com/go/PrintersThatProtect) For more information, visit [hp.com/go/PrinterSecurityClaims](http://hp.com/go/PrinterSecurityClaims)
17. HP Security Manager must be purchased separately.
18. Hardware Integration Pocket Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
19. HP EveryPage Technology is powered by ultrasonic multi-feed detection.
20. Measured using ISO/IEC 17629. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
21. Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see <http://www.hp.com/go/learnaboutsupplies>
22. Accessories vary by region.
23. Requires selection of HP LaserJet Second Exit (Y1G23A).

