# HP Color LaserJet Managed Flow MFP E877z Printer series



## Powerful. Flexible. Secure.

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers<sup>1</sup> you'll stay secure and simplify fleet management for busy IT pros.



### Unleash peak productivity

- Experience speed and performance like no other with our fastest ever 300 ipm<sup>2</sup> duplex scan technology.
- Work faster and without interruptions with reverse and retry technology that automatically detects and resolves double feed issues.
- Easily scan and capture text from documents with high accuracy with OCR software, increase productivity with the optional accelerator card.
- Save time by simply scanning once and sending to multiple destinations with customized shortcuts built to eliminate steps and improve accuracy.

#### Customizable solutions built to last

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate
  paper and digital workflows.<sup>3</sup>
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader support.
- Make color management simple & seamless with our HP Custom Color Manager. Match color output of any document/device combination without the hassle of
  expensive color matching systems.

#### Always on guard with HP Wolf Security<sup>4</sup>

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
  - Run-time intrusion detection is always on guard. Common Criteria certified<sup>5</sup> to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
  - HP Memory Shield<sup>™</sup> is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

#### Better printing, for a better planet

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled
  or certified content.<sup>6</sup>
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic.<sup>7</sup> Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel.<sup>8</sup>
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.<sup>9</sup>

# Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)<sup>1</sup>
- 2. Flatbed scanner handles sheets up to 11x17 in (297 x 432 mm)
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port<sup>2</sup>
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to SRA3 (12x18 in)
- 14. 300-sheet dual side ADF supports media sizes up to A3 (11x17 in) (Flow models only)<sup>3</sup>
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Full size keyboard
- 18. Right door access to the print path
- 19. 100-sheet multipurpose tray 1 supports media sizes up to SRA3 (12x18 in)
- 20. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 21. Optional 2 x 520-sheet dual tray/stand supports media sizes up to SRA3 (12x18 in)

#### Series at a glance

Model	HP Color LaserJet Managed Flow MFP E877z				
Product number	5QK08A	5QK08A(Base) + 8EP60AAE (Speed license)	5QK08A(Base) + 8EP61AAE (Speed license)	5QK08A(Base) + 8EP62AAE (Speed license)	
Print speed (A4 and letter, Black and color) <sup>3</sup>	Up to 40 ppm	Up to 50 ppm	Up to 60 ppm	Up to 70 ppm	
Scan speed (A4 and letter, Black and color) <sup>4</sup>					
Functions	Print, copy, and scan (fax and wireless optional) (all models)				
ADF capacity	300 sheets				
Input capacity	Standard: 1,140 sheets; Maximum: 6,140 sheets (all models)				
Advanced workflow features	HP EveryPage technology, full size keyboard, embedded OCR, reverse and retry, auto orientation, auto-tone, auto page-crop, document editing, auto paper color removal, automatically straighten, job separation				

<sup>1</sup>Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. <sup>2</sup>An administrator must enable the easy-access USB port before use. <sup>3</sup> The E877 series Flow models include a 300-sheet ADF. The E877 series of models include a 300-sheet ADF. The ADF on all devices can scan documents up to 11 x17 inches (A3). <sup>4</sup> Measured using GO/EC 24734, excludes First set of test documents. For more information, see hp. com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>5</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

#### **Top features**

Get more done faster with industry leading printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quadcore processor.

Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for tomorrow. HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can keep your business running.

out so you can keep your business running. Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

### Services and Solutions

Service and Support	U03HDE - HP 1 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E877xx
	U03HFE - HP 3 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx
	U03HGE - HP 4 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E877xx
	U03HHE - HP 5 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E877xx
	U03HJE - HP 3 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx
	U03HKE - HP 4 year 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx
	U03HLE - HP 5 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx
	U03HME - HP 1 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only)
	U03HNE - HP 3 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only)
	U03HQE - HP 4 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only)
	U03HRE - HP 5 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only)
	UO3HSPE - HP 1 year Post Warranty Next Business Day with DMR Service for Color Laser Jet Managed MFP E877xx
	UOHTPE - HP 2 year Post Warranty Next Business Day with DMR Service for Color Laser Jet Managed MFP E877xx
	UO3HVPE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx
	UO3HWPE - HP 2 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx
	UO3HXPE - HP 1 year PW Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only)
	UO3HYPE - HP 2 year PW Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only)
	U9PR6E - HP A3 Installation Service for E7xxxx/E8xxxx MFP
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights
	Mobile and universal print: HP Universal Print Driver (UPD): HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App
	Management: HP web Jackdmin; HP Smart Devices (SDS): Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit



# Data sheet | HP Color LaserJet Managed Flow MFP E877z Printer series Front panel optional colors



#### \*Available with optional color panel accessories

		Available with optional color parter accessories
Accessories	155P7A	HP Laser Jet InnerFinisher 2/3 Hole Punch
	190A2A	HP Color LaserJet Department Lunar Gray Color Panel
	190A4A	HP LaserJet Department 2x520 sheet Paper Tray/Stand Lunar Grav Color Panel
	190A5A	HP LaserJet Department High Capacity Paper Tray/Stand Lunar Gray Color Panel
	190A8A	HP Laser let Department Stand Lunar Grav Color Panel
	190B2A	HP Color LaserJet Department Comet Red Color Panel
	190B4A	HP Laser Jet Department 2x520 sheet Paper Tray/Stand Comet Red Color Panel
	190B5A	HP Laser Jet Department High Capacity Paper Tray/Stand Comet Red Color Panel
	190B8A	HP Laser Jet Department Stand Comet Red Color Panel
	190C2A	HP Color LaserJet Department Cosmic Green Color Panel
	190C4A	HP Laser Jet Department 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel
	190C5A	HP Laser Jet Department High Capacity Paper Tray/Stand Cosmic Green Color Panel
	190C8A	HP Laser let Department Stand Cosmic Green Color Panel
	190D2A	HP Color LaserJet Department Constellation Yellow Color Panel
	190D4A	HP Laser Jet Department 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel
	190D5A	HP Laser let Department High Capacity Paper Tray/Stand Constellation Yellow Color Panel
	190D8A	HP Laser Jet Department Stand Constellation Yellow Color Panel
	190F2A	HP Color LaserJet Department Aurora Purple Color Panel
	190F4A	HP Laser Jet Department 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel
	190F5A	HP LaserJet Department High Capacity Paper Tray/Stand Aurora Purple Color Panel
	190F8A	HP Laser let Department Stand Aurora Purple Color Panel
	2NR12A	HP Removable Hard Drive Enclosure
	2TD64A	HP Accessibility Kit
	3JN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory
	478C2A	HP Printing Voice Assistant
	40L32A	HP Legic Secure USB Reader
	4XN67A	Internal USB Expansion Kit
	50K14A	HP MFP 810 Analog Dual Fax
		HP LaserJet 2x520 sheet Department Paper Tray/Stand
		HP LaserJet Inner Finisher
		HP LaserJet Department Job Separator
		HP Laser Jet Booklet Finisher
		HP LaserJet Department Stand
		HP Laser Jet Stapler/Stacker Finisher
		HP Laser Jet 3000 sheet Department High Capacity Paper Tray/Stand
	6GW57A	HP LaserJet 2000 sheet Department High Capacity Paper Tray/Stand
	6HN30A	HP LaserJet Workflow Accelerator Card
	6HN31A	HP 500GB CCC, FIPS, TAA Hard Disk Drive
	7ZA08A	HP MFP 800 Analog Single Fax
	8FP31A	HP Jetdirect LAN Accessory
	9EQ11A	HP 500GB CCC, FIPS Hard Disk Drive
	B5L31A	HP Foreign Interface Harness
	CC543B	HP SmartCard NIPRNet Solution for US Government
	F8B30A	HP SmartCard SIPRNet Solution for US Government
	X3D03A	HP USB Universal Card Reader
	Y1G10A	HP LaserJet Hole Punch 2/3 Accessory
	Y1G13A	HP LaserJet Inner/Booklet Staples
	Y1G14A	HP LaserJet Stapler/Stacker Finisher Staples
	Y1G22A	HP LaserJet Paper Tray Heaters Accessory
	Y7C05A	HP HIP2 Keystroke Reader
	Y7C07A	HP SIM for HID iClass for HIP2 Reader
Speed Licenses		
		HP Color LaserJet Managed MFP E877 40 to 50ppm License
		: HP Color LaserJet Managed MFP E877 40 to 60ppm License : HP Color LaserJet Managed MFP E877 40 to 70ppm License
		HP Color Laser Jet Managed MFP E877 50 to 60ppm License
		HP Color Laser let Managed MPP E877 60 to 70ppm License
		HP Color LaserJet Managed MFP E877 50 to 70ppm License
· · · · ·	1	

\* Inner finisher/inner finisher hole punches are not compatible with 70 ppm \*\* HP Laser Jet Workflow Accelerator Card, 6HN30A will be available in January 2023.

# Data sheet | HP Color LaserJet Managed Flow MFP E877z Printer series Technical specifications

unctions	Print, copy, scan, fax (optional)							
rint speed <sup>3,2</sup>	Letter Black	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE)			
in spece	Letter Color	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE)			
	A4 Black	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE)			
	A4 Color	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE)			
	First page out Letter Black	As fast as 8.2 sec	As fast as 7.6 sec (with 8EP60AAE)	As fast as 7.2 sec (with 8EP61AAE)	As fast as 7.2 sec (with 8EP62AA			
	First page out Letter Color	As fast as 9.7 sec	As fast as 8.8 sec (with 8EP60AAE)	As fast as 8.2 sec (with 8EP61AAE)	As fast as 8.0 sec (with 8EP62AA			
	First page out A4 Black	As fast as 8.2 sec	As fast as 7.6 sec (with 8EP60AAE)	As fast as 7.2 sec (with 8EP61AAE)	As fast as 7.2 sec (with 8EP62AA			
	First page out A4 Color As fast as 9.7 sec As fast as 8.8 sec (with 8EP60AAE) As fast as 8.2 sec (with 8EP61AAE) As fast as 8.0 sec (with 8EP62AAE)							
int resolution	Black (best): Up to 1200 x 1200 dpi full speed; Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi; Color (best): Up to 1200 x 1200 dpi full speed; Color (normal): U to 600 x 600 dpi; Solor (solor dpi; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (normal): U to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (normal): U to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (normal): U to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (normal): U to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (normal): U to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (normal): U to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (normal): U to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (normal): U to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (normal): U to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (normal): U to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (fine lines): Up to 1200 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (fin							
int technology	Laser; <b>Optical:</b> Normal (600 × 600	4 bit); Best (1200 x 1200 1 bit)						
int cartridges number	4 (1 each black, cyan, magenta, ye	ellow)						
andard print languages	HP PCL 5c, HP PCL 6, HP Postscript	: level 3 emulation, PDF (v 1.7), Airl	Print™ compatible					
			5, 9, 16), collation, watermarks, store print	iobs. easy-access USB				
lor scanning	Yes		, ., .,	1000, 000) 00000 000				
an speed Normal <sup>s</sup>	Up to 150 ppm/300 ipm (b&w), up		; Up to 150 ppm/300 ipm (b&w), up to 150	ppm/300 ipm (color) A4 <b>Duplex:</b> Up to	300 ipm (b&w), up to 300 ipm (col			
	Letter ; Up to 300 ipm (b&w), up to 300 ipm (color) A4							
an type / Technology	Flatbed, ADF / Platen Scanner CCE	) Digital-CIS						
an resolution	Hardware: Up to 600 × 600 dpi; 0	<b>ptical:</b> Up to 600 × 600 dpi						
an file format	PDF, Hi-Compression PDF, PDF/A, H (OCR), RTF (OCR), HTML (OCR), CSV	Hi-Compression PDF/A, JPEG, TIFF, I (OCR)	MTIFF, XPS, PDF (OCR), Hi-Compression PDF	(OCR), PDF/A (OCR), Hi-Compression P	DF/A (OCR), TEXT (OCR), Unicode T			
an input modes			Folder; Scan to USB; Scan to Job Storage; C		Workpath applications			
an Size	ADF Maximum: 305 x 864 mm; 12	x 34 in <b>ADF Minimum:</b> 68 x 127 mn	n; 2.7 x 5 in <b>Flatbed:</b> 297 x 432 mm; 11.69 x	17 in				
anner advanced features	Embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps							
plex ADF scanning	Yes, single pass duplex scanning							
F capacity	Standard, 300 sheets							
vain version								
	Version 2.4							
depth / Grayscale levels	24-bit/256							
gital sending standard atures	Scan to e-mail; save-to-network folder; save-to-USB drive; send to Sharepoint; send to FTP; send to sFTP; send to LAN fax; send to Internet Fax; local address book; SMTP over SSL; au color sense; compact PDF; image adjustments (darkness, contrast, background deanup, sharpness); optimized text/picture (auto, text, mixed, printed picture, photograph); content orientation; ID scan; job build; watermark; stamps; book mode scans; erase edges; image preview; blank page suppression; scan to multi destination; embedded OCR; auto-tone, auto orientation, auto-page-crop; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation; automatically straighten							
nu mood	Letter Black	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)			
by speed	Letter Color	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)			
	A4 Black	Up to 40cpm	Up to 50cpm (with 8EP60AAE)	Up to 60cpm (with 8EP61AAE)	Up to 70cpm (with 8EP62AAE)			
	A4 Color	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)			
	Letter Black Duplex	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)			
	Letter Color Duplex	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)			
	A4 Black Duplex	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)			
	A4 Color Duplex	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)			
	First copy out Letter Black	As fast as 4.9 sec	As fast as 4.2 sec (with 8EP60AAE)	As fast as 3.8 sec (with 8EP61AAE)	As fast as 3.5 sec (with 8EP62A			
	First copy out Letter Color	As fast as 6.5 sec	As fast as 5.6 sec (with 8EP60AAE)	As fast as 4.9 sec (with 8EP61AAE)	As fast as 4.3 sec (with 8EP62A			
	First copy out A4 Black	As fast as 4.9 sec	As fast as 4.2 sec (with 8EP60AAE)	As fast as 3.8 sec (with 8EP61AAE)	As fast as 3.5 sec (with 8EP62A			
	First copy out A4 Color	As fast as 6.5 sec	As fast as 5.6 sec (with 8EP60AAE)	As fast as 4.9 sec (with 8EP61AAE)	As fast as 4.3 sec (with 8EP62AA			
by resolution	Black (text and graphics): ; Up to 6	600 × 600 dpi ; <b>Color (text and grap</b>	<b>hics):</b> Up to 600 x 600 dpi					
ximum number of copies	Up to 9999 copies							
pier resize	25 to 400%							
pier settings	Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (Auto, text, mixed, printed picture, photograph); N-Up; N Z-ordering; content orientation; collation; booklet; ID scan; job build; job storage; watermark; stamps; book mode scans; erase edges; automatically detect color/monochrome; image preview; Image Shift; Paper Selection; collate; Blank Page Suppression; Auto Orientation; Auto Tone; Crop to page; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Pa Color Removal; Job Separation; Automatically Straighten;							
x speed	Up to: 33.6 kbps / Letter: 3 sec per page							
resolution	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi							
				ed conding No Distinction size data	tion connected No. For fam.			
x Features	supported: Yes Fax phone TAM int dialing numbers: Up to 1000 numb	erface supported: No Fax polling supported: No Fax polling supported: No Fax polling support (each with 210 destinations) P(	upported: Yes Auto-redialing: Yes Fax delay upported: Yes (poll to receive only) Fax tele C interface supported: Yes Remote retrieva	phone mode supported: No Junk barr capability supported: No Junk barr	ion supported: No Fax forwardin ier supported: Yes Maximum spee nandset supported: No			
	1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host							
ndard connectivity		network; 1 Hardware Integration I	Pocket 2nd generation (HIP2): 1 Hi-Sneed U	Standard (built-in GIGABIT 10/100/1000T Ethernet)				
	1 Gigabit Ethernet 10/100/1000T		Pocket 2nd generation (HIP2); 1 Hi-Speed U	55 210 (1032), 1 56pc1 5pccd 055 510 (				
work capabilities	1 Gigabit Ethernet 10/100/1000T Standard (built-in GIGABIT 10/100	/1000T Ethernet)	Pocket 2nd generation (HIP2); 1 Hi-Speed U					
work capabilities eless capability	1 Gigabit Ethernet 10/100/1000T Standard (built-in GIGABIT 10/100 Optional, enabled with purchase o	/1000T Ethernet) of a hardware accessory		55 210 (1037), 1 Seper Speed 055 510 (				
work capabilities eless capability	1 Gigabit Ethernet 10/100/1000T Standard (built-in GIGABIT 10/100 Optional, enabled with purchase of Apple AirPrint™; Mopria™ Certifie	/1000T Ethernet) of a hardware accessory	Pocket 2nd generation (HIP2); 1 Hi-Speed U h-to-print (optional); PrinterOn Print					
twork capabilities reless capability bile printing capability	1 Gigabit Ethernet 10/100/1000T Standard (built-in GIGABIT 10/100 Optional, enabled with purchase o	/1000T Ethernet) of a hardware accessory		as no (roxi) - soper speed of site (				
andard connectivity etwork capabilities reless capability obile printing capability emory ocessor speed	1 Gigabit Ethernet 10/100/1000T Standard (built-in GIGABIT 10/10C Optional, enabled with purchase or Apple AirPrint™; Mopria™ Certifie Standard:6GB; Maximum:6GB Quad Core (1.6GHz), Dual Core (1.	/1000T Ethernet) of a hardware accessory d; Wi-Fi® Direct Printing; NFC Touch 4GHz) / <b>Storage</b> : Standard, embed						
twork capabilities reless capability obile printing capability emory	1 Gigabit Ethernet 10/100/1000T Standard (built-in GIGABIT 10/10C Optional, enabled with purchase or Apple AirPrint™; Mopria™ Certifie Standard:6GB; Maximum:6GB Quad Core (1.6GHz), Dual Core (1.	/1000T Ethernet) of a hardware accessory d; Wi-Fi® Direct Printing; NFC Touch 4GHz) / <b>Storage</b> : Standard, embed	n-to-print (optional); PrinterOn Print ded 500 GB hard disk drive / <b>Hard disk:</b> Sta					
twork capabilities reless capability bile printing capability mory ocessor speed	1 Gigabit Ethernet 10/100/1000T Standard (built-in GIGABIT 10/100 Optional, enabled with purchase of Apple AirPrint™; Mopria™ Certifie Standard:6GB; Maximum:6GB Quad Core (1.6GHz), Dual Core (1. Secure erase capabilities (Secure F	/1000T Ethernet) of a hardware accessory d; Wi-Fi® Direct Printing; NFC Touch 4GHz) / <b>Storage</b> : Standard, embedi ille Erase-Temporary Job Files, Sect	n-to-print (optional); PrinterOn Print ded 500 GB hard disk drive / <b>Hard disk</b> : Sta ure Erase-Job Data, Secure ATA Erase-Disk) Up to 200,000 pages (with	ndard, HP Laser Jet 500GB Hard Disk I	Drive; AES 256 hardware encryptio			

Descent the second liter of	
Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 50 envelopes; Input Capacities, Max: Up to 6,140 sheets; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets Transparencies; Duplex Options: Automatic; Envelope feeder: No; Standard paper
Media types supported	trays: 3 Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy
Media types supported	
	111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead,
	zoug, caru-stock in 76-220g, caru stossy in 76-220g, ugini raperuoaiu 221-233g, Paperuoaiu 236-300g, neavy Paperuoaiu, cutori marisparency, carues, cetterneau, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored
Media weight supported	Tray 1, 2, 3: 16 to 86.5 lb bond; Tray 1, 2, 3: 60 to 325 g/m <sup>2</sup>
Media sizes supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, 11 × 17, 12 × 18, 4 × 6, 5 × 7, 5 × 8, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Statement, Oficio, 4 × 6, 5 × 7, 5 × 8, 10 × 15, envelope #9, Envelope #10, Envelope Monarch; Tray 3: Letter, Letter, R, Legal, Executive, Statement, Oficio, 11 × 17, 12 × 18, 8k, 16k Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10×15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelop
Media Sizes Custom	Tray 1: 3.86 x 5.5 to 12.59 x 18 in; Tray 2: 3.86 x 5.5 to 9.5 x 11.69 in; Tray 3: 5.5 x 7.17 to 12.59 x 18 in Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 241.5 x 297 mm; Tray 3: 140 x 182 to 320 x 457.2 mm
What's in the box	50K08A In box materials ; Guide install, Flyer Regulatory, Power Cords, Keyboard/Overlay for Z model, Label, Drums.
Replacement cartridges <sup>4</sup>	HP Black Managed LJ Toner Cartridge (ISO Yield 50,000) W9170MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 45,000) W9171MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 45,000) W9172MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9173MC
Product dimensions	Wx d x h: 638.8 x 745.9 x 933.9 mm; 25.2 x 29.4 x 36.8 in Maximum: 1656.7 x 1301 x 1503.9 mm; 65.2 x 51.2 x 59.2 in
Product weight	104.6 kg; 230.6 lb
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to
	hp.com/support to learn about HP award winning service and support options in your region.
Energy star certified	
Ecolabels	EPEAT® registered; IT ECO Declaration; Blue Angel
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)
Software included	No software solutions are included in the box, only on http://hp.com http://123.hp.com
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge
	readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP- TLS), SNMPV3, HTTPS, Certificates; Data: Storage Encryption, Encrypted DF& Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
Compatible operating systems	Windows 11; Windows 10; Windows 7; Windows Client 05; Android; i05; Mobile 05; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS
Compatible network operating systems	Windows 8; Windows Server; Linux; Citrix; UNIX
Minimum system	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available
requirements	hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 12.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 7.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power
	consumption: 820 watts (40ppm, printing), 890 watts (50ppm, printing), 1020 watts (60ppm, printing), 1100 watts (70ppm, printing), 41.5 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)
Acoustics	Acoustic power emissions: 6.70 Bel(A), printing color simplex A4 at 40ppm; 6.75 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A), printing color simplex A4 at 60ppm; 7.00 Bel(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active, printing): 52dB(A), printing color simplex A4 at 40ppm; 53dB(A), printing color simplex A4 at 50ppm; 55dB(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active scale); 54dB(A), ADF scan A4 at 90pm; 59dB(A), ADF scan A4 at 90pm; 55dB(A), printing color simplex A4 at 90pm; 59dB(A), printing color simplex A4 at 50ppm; 55dB(A), printing color simplex A4 at 90pm; 50dB(A), ADF scan A4 at 90pm; 55dB(A), printing color simplex A4 at 90pm; 50dB(A), printing color simplex A4 at 90pm; 50dB(A), printing color simplex A4 at 90pm; 55dB(A), printing color simplex A4 at 90pm; 50dB(A), printing color simplex A4 at 90pm; 50dB
Operating environment	Operating temperature range: 15 to 30°C 59 to 86°F; Recommended operating temperature: 15 to 30°C 59 to 86°F; Storage temperature range: -10 to 40°C 14 to 104°F; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH

#### **Messaging Footnotes**

1 HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive indass printers. Only HP offers a combination of security features to automatically detect, stop, and recovers working in tratacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device over resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: http://www.hp.com/go/PrinterScurity/Claims.

<sup>3</sup> http://standards.iso.org/ittf/PubliclyAvailableStandards/SC28\_Test\_Pages/ <sup>3</sup> Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.

<sup>5</sup> HP Security is now HP Wolf Security. Security features vary by platform. For more information, visit http://www.hp.com/wolfsecurity .
<sup>5</sup> Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices
<sup>6</sup> running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf .

100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers. 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See

http://www.hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of , total weight of plastic.

HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines.


<sup>9</sup> HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

#### **Technical Specifications Footnotes**

<sup>1</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application,

driver, and document complexity. <sup>2</sup> Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>3</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

<sup>4</sup> Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.



#### To learn more, visit hp.com

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. varranties for HP products and services are set forth in the ents accompanying February 2023



Mac