HP LaserJet Managed MFP E731 Series

Product Guide





Unleash peak productivity



HP WOLF SECURITY

Always on guard with HP Wolf Security¹



Next-generation Flow technology

Unleash peak productivity

Now, you can accelerate your print and scan workflows to maximize business productivity with the HP LaserJet Managed MFP E700 series.

The result: more time for your core business and less time waiting for prints and scans.





POWERED BY SYSTEM ON A CHIP

With x7 more compute power² than previous models, the HP LaserJet Managed MFP E700 series is a powerhouse of speed with all print, copy, scan, security, and other display subsystems integrated into a single chip.

_(
	_
1	

FAST SLEEP TO FIRST COPY OUTPUT TIME (FCOT)

Compared to previous generation printers, the HP LaserJet Managed MFP E700 series features accelerated FCOT time so your printer wakes up quickly from sleep mode as soon as you use the touchscreen to deliver your prints or copies faster.

($\left(\right)$	
•	U	v

UP TO 40PPM PRINTING SPEED³

Meet tight deadlines, save time on everyday printing tasks, and be ready for unexpected multi-print requests. HP delivers the speed needed for maximum productivity.



PROTECT YOUR INVESTMENT AND MAINTAIN PRODUCTIVITY

Stay productive and ensure you always have the latest optimized features across your fleet for years to come with upgradeable HP FutureSmart firmware. Get consistent, intuitive user controls across devices, seamlessly incorporate paper and digital content to improve workflows, and easily install updates on your schedule.



10.1-INCH COLOR TOUCHSCREEN DISPLAY

Experience the ultimate in productivity with a vivid and intuitive display that helps make the HP LaserJet Managed MFP E700 series easy to use, no matter how you use your MFP.



Do more with next-generation Flow technology

Businesses grow and evolve, so should your MFP. The next-generation of HP Flow technology makes that possible. Its cloud-based software provides flexible, customized cloud-connected solutions to help optimize your print and scan workflows – today and as they change in the future.

ONE SCAN. MULTIPLE DESTINATIONS.

Sending documents to recipients in multiple destinations with multiple delivery requirements? Not a problem. With HP Flow technology, you can scan once and simply manage your files with the color touchscreen for customized delivery options for each recipient – email, fax, SharePoint, and even print a paper copy.⁴ HP saves you time and does it all in just one scan operation.

CUSTOMIZED DIGITAL EDITING OF SCANNED DOCUMENTS

With Flow technology, you can digitally edit and personalize copies of the original using direct manipulation of scanned content at the MFP. Use the 10.1-inch color touchscreen display to edit, markup, redact, and highlight comments for recipients.

FAST DUPLEX SCANNING

Keep pace with demand for digital documentation with fast 240 ipm⁵ duplex scanning and enhanced OCR capabilities. Plus, you can further increase performance with the optional Workflow accelerator card.⁶


SCAN SMARTER. LOAD AND GO.

Flow's auto-sensing technology feature is your silent digital workflow assistant. Smart auto-sensing does it all – from picking the best image quality based on type (text or photo) and paper tone/color, to detecting two-sided prints, and automatic separation of scan jobs. The result: higher productivity and job management accuracy along with professionallooking prints that make your business look good.

Designed for impact

Today's workplace is more open and fluid, helping foster collaboration and communication among team members. Your HP printer can play a key role.

Make a visual statement at your workplace with six distinct, easy-to-install color panels⁷ to suit your office décor, represent your brand, and energize your space.



Better printing for a better planet

Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel, and Energy Star standards,⁸ supporting HP's goal for carbon neutrality and a fully sustainable economy.

- SUPPORT ZERO DEFORESTATION⁹ The fiber-based packaging for this product, including the outer box and interior fiber-based cushions, is 100% sustainably sourced, meaning it's made from recycled or certified content.
- DESIGNED TO ELIMINATE WASTE¹⁰ Our devices are made with the planet in mind with energy-efficient printing and toner cartridges with more than 59%¹¹ recycled cartridge content¹² and 90% recycled packaging content. Printing that puts the planet first.

- BREAKTHROUGH TONER TECHNOLOGY With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.¹³
- REDUCE PAPER WASTE By using HP Pull/Pin printing solutions and duplex print as the default¹⁴ setting, our devices conserve paper wherever possible.
- EXTEND PRODUCT LIFE Our durable modular designs and HP SDS predictive diagnostics help to keep our products up and running longer.
- EASY RECYCLING WITH HP PLANET PARTNERS¹⁵ Our sustainable efforts don't stop when you stop printing. With HP Planet Partners, we provide a convenient way to recycle HP IT hardware and supplies after use.



Always on guard with HP Wolf Security¹

HP Managed MFPs are the world's most secure printing devices¹⁶ in the industry. They're always on the lookout, continually stopping threats while adapting to new ones. Only HP printers can automatically self-heal from attacks, so IT doesn't need to intervene. For peace of mind, HP Wolf Enterprise Security is included with every HP LaserJet Managed MFP E700 Series so you can feel protected whether you are collaborating, on premise, or via the cloud.

ALWAYS-ON PROTECTION

- HP Sure Start checks the BIOS/boot code at start up to validate the integrity of the BIOS code
- Memory Shield[™] active system monitoring with expanded memory protection from malware injection attacks
- HP Connection Inspector inspects outgoing network
 connections to stop suspicious requests like malware
- Whitelisting checks firmware during startup to help ensure it's authentic, good code-digitally signed by HP
- Receive instant notification of security issues via leading Security Information and Event Management (SIEM) tools like Splunk, ArcSight, McAfee, and SIEMonster

ALWAYS-ON DETECTION

- Protects with zero-day detection of threats
- Prevents malware attacks by ensuring that the execution flow on the device cannot be altered
- Monitors the execution flow for potential zero-day attacks with Control Flow Integrity
- Self-heals and reboots to a safe state of operation when malware is detected
- Detects attacks in runtime memory via an integrated chip that provides hardware-level protection

ENTERPRISE-WIDE SECURITY

HP Security Manager¹⁷ offers an effective, policy-based approach to help secure HP printing and imaging devices. Easily set security configuration policies and automatically validate settings for every HP printer and MFP in your fleet.

Get to know the HP LaserJet Managed MFP E731 series

HP LaserJet Managed Flow MFP E731z shown

Hardware Integration Pocket (for connecting accessories and third-party devices)¹⁸

Flatbed scanner handles sheets up to 11x17-inch (297 x 432 mm)

500-sheet output bin

Automatic 2-sided printing

Easy-access USB port

Front door access to toner cartridges

HP High-Performance Secure Hard Disk

Slot for cable-type security lock SuperSpeed USB 3.0 Host Port Hi-Speed USB 2.0 Host Port Gigabit Ethernet Port SuperSpeed USB 3.0 device Port

520-sheet tray 3 supports media sizes up to A3 (11x17-inch)



200-sheet dual side ADF supports media sizes up to A3 (11x17-inch) (Flow models only)

10.1-inch color (25.6 cm) touchscreen display

Power button

Full size keyboard

Right door access to the print path

100-sheet multipurpose tray 1 supports media sizes up to A3 (11x17-inch)

520-sheet tray 2 supports media sizes up to A4 (Letter)

Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3 (11x17-inch)

Series at a glance

Model	Flow MFP E731z 30ppm	Flow MFP E731z 35ppm	Flow MFP E731z 40ppm	
Product number	5QK02A	5QK02A (Base) + 8EP58AAE (Speed license)	5QK02A (Base) + 8EP59AAE (Speed license)	
Functions	Print, copy, and scan (fax and w	Print, copy, and scan (fax and wireless optional) (all models)		
Print speed (A4 and letter, black)	Up to 30 ppm	Up to 35 ppm	Up to 40 ppm	
Scan speed (A4 and letter, black)	120 ppm/240 ipm, simplex/duple	ex		
ADF capacity	200 sheets			
Input capacity	Standard: 1,140 sheets; Maximum: 3,140 sheets (all models)			
Advanced workflow features		size keyboard, embedded OCR, o page-crop, document editing, eparation		

Model	MFP E731dn 30ppm	MFP E731dn 35ppm	MFP E731dn 40ppm	
Product number	5QJ98A	5QJ98A (Base) + 8EP58AAE (Speed license)	5QJ98A (Base) + 8EP59AAE (Speed license)	
Functions	Print, copy, and scan (fax and w	Print, copy, and scan (fax and wireless optional) (all models)		
Print speed (A4 and letter, black)	Up to 30 ppm	Up to 35 ppm	Up to 40 ppm	
Scan speed (A4 and letter, black)	90 ppm/180 ipm, simplex/duple	x		
ADF capacity	200 sheets			
Input capacity	Standard: 1,140 sheets; Maximu	ım: 3,140 sheets (all models)		
Advanced workflow features	No			

E731z Technical specifications

Functions	Print, copy, scan, fax (optional)				
Print speed3,20	Letter Black	Up to 30 ppm	Up to 35 ppm (with 8EP58AAE)	Up to 40 ppm (with 8EP59AAE)	
	A4 Black	Up to 30 ppm	Up to 35 ppm (with 8EP58AAE)	Up to 40 ppm (with 8EP59AAE)	
	First page out Letter Black	As fast as 8.9 sec	As fast as 8.1 sec (with 8EP58AAE)	As fast as 7.6 sec (with 8EP59AAE)	
	First page out A4 Black	As fast as 8.9 sec	As fast as 8.1 sec (with 8EP58AAE)	As fast as 7.6 sec (with 8EP59AAE)	
Print resolution	Black (best): Up to 1200 x 1200 dpi reduced speed; Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi				
Print technology	Laser; Optical: Normal (600 x 600 4 bit); Best (1200 x 1200 1 bit)				
Print cartridges number	1 (black)				
Standard print languages	HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible				
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB				
Color scanning	Yes				
Scan speed Normal ⁵	Up to 120 ppm/240 ipm (b&w), up 240 ipm (color) ; Up to 240 ipm (b		pm/240 ipm (b&w), up to 120 ppm/240 ipm (colo	r) Duplex: Up to 240 ipm (b&w), up to	
Scan type / Technology	ADF; Flatbed / Charge Coupled I	Device (CCD) Flatbed; Contact Image Se	ensor (CIS) ADF		
Scan resolution	Hardware: Up to 600 x 600 dpi;	Optical: Up to 600 x 600 dpi			
Scan file format		, Hi-Compression PDF/A, JPEG, TIFF, MT [(OCR), RTF (OCR), HTML (OCR), CSV (O	IFF, XPS, PDF (OCR), Hi-Compression PDF (OCF CR)	R), PDF/A (OCR), Hi-Compression PDF/A	
Scan input modes	Front panel applications: Copy; F applications	ax; Scan to Email; Scan to Network Fold	der; Scan to USB; Scan to Job Storage; Open Ex	ctensibility Platform (OXP), HP Workpath	
Scan size	ADF Maximum: 297 x 864 mm; 1	1.7 x 34 in ADF Minimum: 68 x 127 mm; 2	.7 x 5 in Flatbed: 297 x 432 mm; 11.69 x 17 in		
Scanner advanced features	Embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps				
Duplex ADF scanning	Yes				
ADF capacity	Standard, 200 sheets				
Twain version	Version 2.4				
Bit depth / Grayscale levels	24-bit/256				
Digital sending standard features	book; SMTP over SSL; auto color mixed, printed picture, photogra	sense; compact PDF; image adjustmer oh); content orientation; ID scan; job buil nation, embedded OCR; auto-tone, auto	epoint; send to FTP; send to sFTP; send to LAN f its (darkness, contrast, background cleanup, sl id; watermark; stamps; book mode scans; erase orientation, auto page-crop; multi-feed detecti	narpness); optimized text/picture (auto, tex e edges; image preview; blank page	
Copy speed	Letter Black	Up to 30 cpm	Up to 35 cpm (with 8EP58AAE)	Up to 40 cpm (with 8EP59AAE)	
	A4 Black	Up to 30 cpm	Up to 35 cpm (with 8EP58AAE)	Up to 40 cpm (with 8EP59AAE)	
	Letter Black Duplex	Up to 20 cpm	Up to 23 cpm (with 8EP58AAE)	Up to 25 cpm (with 8EP59AAE)	
	A4 Black Duplex	Up to 20 cpm	Up to 23 cpm (with 8EP58AAE)	Up to 25 cpm (with 8EP59AAE)	
	First copy out Letter Black	As fast as 5.0 sec	As fast as 4.6 sec (with 8EP58AAE)	As fast as 4.0 sec (with 8EP59AAE)	
Conversalution	First copy out A4 Black	As fast as 5.0 sec	As fast as 4.6 sec (with 8EP58AAE)	As fast as 4.0 sec (with 8EP59AAE)	
Copy resolution Maximum number of copies	Black (text and graphics): Up to Up to 9999 copies				
Copier resize	25 to 400%				
Copier settings	Booklet; Collation; Content orientation; Crop; Edge Erase; ID Scan; Image adjustment; Job build; Job storage; N or Z-ordering; N-up; Scalability; Text/Photo; 2-sided copy; Watermark; Scan mode (book, 2-sided ID); Stamps; Image shift; Image preview; Paper selection; Blank page suppression; Automatically straighten; Automatically detect color/monochrome; Auto tone; Multi-feed detection; Document editing; Auto paper color removal; Job separation				
Fax speed	Up to: 33.6 kbps / Letter: 3 sec p	er page			
Fax resolution	Black (best): Up to 300 x 300 dp	i (400 x 400 dpi for received faxes only);	Black (standard): 203 x 98 dpi		
Fax Features	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No				
Standard connectivity	 I Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host) 				

E731z Technical specifications

Network capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet)				
Wireless capability	Optional, enabled with purchase of a hardware accessory				
Mobile printing capability	Apple AirPrint™; Mopria™ Certifie	ed; Wi-Fi® Direct Printing; HP Roam;	NFC Touch-to-print (optional); PrinterOn Print		
Memory	Standard:6 GB; Maximum:6 GB	i de la companya de l			
Processor speed			dded 500 GB hard disk drive / Hard disk: Standard, ase-Temporary Job Files, Secure Erase-Job Data, S		
Duty cycle (monthly)	Letter:	Up to 150,000 pages (with 8EP59AAE)			
	A4:	Up to 110,000 pages	Up to 130,000 pages (with 8EP58AAE)	Up to 150,000 pages (with 8EP59AAE)	
Recommended monthly page volume	Up to 20,000				
Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 10 envelopes; Input Capacities, Ma Up to 3140 sheets; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: S				
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, Card stock 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Mono Transparency, Labels, Letterhead, Envelope, Preprinted, Pre punched, Colored				
Media weight supported	Tray 1: 16 to 79.5 lb bond; Tray 2, 3	: 16 to 58.5 lb bond			
Media sizes supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio, 8.5X13, 11 x 17, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 8k, 16k, Envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Letter R, Legal, Executive, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8, 16k; Tray 3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 8k, 16k				
Media sizes Custom	Tray 1: 3.86 x 5.83 to 11.69 x 17 in; Tray 2: 5.48 x 8.27 to 11.69 x 14.33 in; Tray 3: 5.48 x 8.27 to 11.69 x 17 in				
What's in the box	5QK02A In box materials; Guide install, Flyer Regulatory, Power Cords, Keyboard/Overlay for Z model, Label, Drums				
Replacement cartridges ²¹	HP Black Managed LJ Toner Cartridge (ISO Yield 48,000) W9065MC. Toner cartridge availability differs by region. For more detail, please find your market datasheets.				
Product dimensions	W x d x h: 640.8 x 725.5 x 858.1 mm; 25.2 x 28.6 x 33.8 in Maximum: 1681 x 1196 x 1191 mm; 66.2 x 47.1 x 46.9 in				
Product weight	64.4 kg; 142.0 lb				
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country, and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region.				
Energy star certified	Yes				
Ecolabels	EPEAT® registered; IT ECO Declaration; Blue Angel				
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker				
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)				
Software included	No software solutions are included in the Box; only on http://hp.com http://123.hp.com				
Compatible operating systems	Windows Client OS (32/64 bit), Win10, Win11, Win7 Ultimate, Mobile OS's, iOS, Android, Apple macOS's, Apple macOS Catalina v10.15, Apple macOS Big Sur v11.0, Apple macOS Monterey v12.0, (All operating systems with the latest updates)				
Compatible network operating systems	Windows Server 2018 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information, see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information, see http://hp.com/go/unixmodelscripts, (All operating systems with the latest updates)				
Minimum system requirements			t, Internet browser. For additional OS hardware rec et browser. For additional OS hardware requiremen		
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 100 to 127VAC 50/60Hz, 110 to 127VAC 50/60Hz, 220 to 240VAC 50/60Hz (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 560 watts (30ppm, printing), 620 watts (35ppm, printing), 650 watts (40ppm, printing), 35.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)				
Acoustics	Acoustic power emissions: 6.65 Bel(A), printing simplex A4 at 30ppm; 6.70 Bel(A), printing simplex A4 at 35ppm; 6.75 Bel(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active, printing): 51 dB(A), printing simplex A4 at 30ppm; 52 dB(A), printing simplex A4 at 35ppm; 52.5 dB(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90ipm; 58 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 60ipm				
Operating environment		: 15 to 30°C; Recommended opera anded humidity operating range: 3	ting temperature: 15 to 30°C; Storage temperatu 20 to 80% RH	re range: -10 to 40°C; Operating humidity	

E731dn Technical specifications

Print, copy, scan, fax (optional)					
Letter Black	Up to 30 ppm	Up to 35 ppm (with 8EP58AAE)	Up to 40 ppm (with 8EP59AAE)		
A4 Black	Up to 30 ppm	Up to 35 ppm (with 8EP58AAE)	Up to 40 ppm (with 8EP59AAE)		
First page out Letter Black	As fast as 8.9 sec	As fast as 8.1 sec (with 8EP58AAE)	As fast as 7.6 sec (with 8EP59AAE)		
First page out A4 Black	As fast as 8.9 sec	As fast as 8.1 sec (with 8EP58AAE)	As fast as 7.6 sec (with 8EP59AAE)		
Black (best): Up to 1200 x 1200 c	Black (best): Up to 1200 x 1200 dpi reduced speed; Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi				
Laser: Optical: Normal (600 x 60	00 4 bit): Best (1200 x 1200 1 bit)				
HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible					
Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB					
Yes					
		pm/180 ipm (b&w), up to 90 ppm/180 ipm (color) D	uplex: Up to 180 ipm (b&w), up to 180 ipm		
ADF; Flatbed / Charge Coupled I	Device (CCD) Flatbed; Contact Image :	Sensor (CIS) ADF			
	· · · ·				
	· · ·				
Front panel applications: Copy; F applications	-ax; Scan to Email; Scan to Network Fo	older; Scan to USB; Scan to Job Storage; Open Ex	(tensibility Platform (OXP), HP Workpath		
ADF Maximum: 297 x 864 mm; 1	ADF Maximum: 297 x 864 mm; 11.7 x 34 in ADF Minimum: 68 x 127 mm; 2.7 x 5 in Flatbed: 297 x 432 mm; 11.69 x 17 in				
Yes	Yes				
Standard, 200 sheets					
Version 2.4					
24-bit/256					
Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; local address book SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview: blank page suppression: automatically straighten					
Letter Black	Up to 30 cpm	Up to 35 cpm (with 8EP58AAE)	Up to 40 cpm (with 8EP59AAE)		
A4 Black	Up to 30 cpm	Up to 35 cpm (with 8EP58AAE)	Up to 40 cpm (with 8EP59AAE)		
Letter Black Duplex	Up to 20 cpm	Up to 23 cpm (with 8EP58AAE)	Up to 25 cpm (with 8EP59AAE)		
A 4 Direct Drest	Up to 20 cpm		Line to OE around (with OEDEOAAE)		
A4 Black Duplex	00 10 20 0011	Up to 23 cpm (with 8EP58AAE)	Up to 25 cpm (with 8EP59AAE)		
A4 Black Duplex First copy out Letter Black	As fast as 5.0 sec	As fast as 4.6 sec (with 8EP58AAE)	As fast as 4.0 sec (with 8EP59AAE)		
			· · · · · ·		
First copy out Letter Black	As fast as 5.0 sec As fast as 5.0 sec	As fast as 4.6 sec (with 8EP58AAE)	As fast as 4.0 sec (with 8EP59AAE)		
First copy out Letter Black First copy out A4 Black	As fast as 5.0 sec As fast as 5.0 sec	As fast as 4.6 sec (with 8EP58AAE)	As fast as 4.0 sec (with 8EP59AAE)		
First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up t	As fast as 5.0 sec As fast as 5.0 sec	As fast as 4.6 sec (with 8EP58AAE)	As fast as 4.0 sec (with 8EP59AAE)		
First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up t Up to 9999 copies 25 to 400% Booklet; Collation; Content orien	As fast as 5.0 sec As fast as 5.0 sec o 600 x 600 dpi tation; Edge Erase; Image adjustment	As fast as 4.6 sec (with 8EP58AAE)	As fast as 4.0 sec (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE)		
First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up t Up to 9999 copies 25 to 400% Booklet; Collation; Content orien Scan mode (book, 2-sided ID); St	As fast as 5.0 sec As fast as 5.0 sec o 600 x 600 dpi atation; Edge Erase; Image adjustment amps; Image overlay; Image shift; Ima	As fast as 4.6 sec (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) t; Job build; N or Z-ordering; N-up; Optimize; 2-side	As fast as 4.0 sec (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE)		
First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up t Up to 9999 copies 25 to 400% Booklet; Collation; Content orien Scan mode (book, 2-sided ID); St straighten Up to: 33.6 kbps / Letter: 3 sec p	As fast as 5.0 sec As fast as 5.0 sec o 600 x 600 dpi tation; Edge Erase; Image adjustment amps; Image overlay; Image shift; Ima	As fast as 4.6 sec (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) (x) As fast as 4.6 sec (with 8EP58AE) (x) As fast as 6.6 sec (with 8EP58AE) (x) As fast as 6.6 sec (with 8EP58AE) (x) As	As fast as 4.0 sec (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE)		
First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up t Up to 9999 copies 25 to 400% Booklet; Collation; Content orien Scan mode (book, 2-sided ID); St straighten Up to: 33.6 kbps / Letter: 3 sec p Black (best): Up to 300 x 300 dp	As fast as 5.0 sec As fast as 5.0 sec o 600 x 600 dpi Itation; Edge Erase; Image adjustment amps; Image overlay; Image shift; Ima ber page i (400 x 400 dpi for received faxes only	As fast as 4.6 sec (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) ; ; Job build; N or Z-ordering; N-up; Optimize; 2-side ge preview; Paper selection; Blank page suppres y); Black (standard): 203 x 98 dpi	As fast as 4.0 sec (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) ad copy; Watermark; reduce/enlarge; ision; Scan to job storage; Automatically		
First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up t Up to 9999 copies 25 to 400% Booklet; Collation; Content orien Scan mode (book, 2-sided ID); St straighten Up to: 33.6 kbps / Letter: 3 sec p Black (best): Up to 300 x 300 dp Fax memory: Up to 500 pages; I supported: No Fax forwarding supported: No Junk barrier sup	As fast as 5.0 sec As fast as 5.0 sec o 600 x 600 dpi tation; Edge Erase; Image adjustment amps; Image overlay; Image shift; Ima ber page i (400 x 400 dpi for received faxes only Jp to 500 pages Auto fax reduction s supported: Yes Fax phone TAM inter	As fast as 4.6 sec (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) (3, 3, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	As fast as 4.0 sec (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) ad copy; Watermark; reduce/enlarge; sion; Scan to job storage; Automatically sending: No Distinctive ring detection s (poll to receive only) Fax telephone moc		
First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up t Up to 9999 copies 25 to 400% Booklet; Collation; Content orien Scan mode (book, 2-sided ID); St straighten Up to: 33.6 kbps / Letter: 3 sec p Black (best): Up to 300 x 300 dp Fax memory: Up to 500 pages; U supported: No Fax forwarding supported: No Junk barrier su Remote retrieval capability su	As fast as 5.0 sec As fast as 5.0 sec o 600 x 600 dpi tation; Edge Erase; Image adjustment amps; Image overlay; Image shift; Ima ber page i (400 x 400 dpi for received faxes only Jp to 500 pages Auto fax reduction s supported: Yes Fax phone TAM inter poprted: Yes Maximum speed dialing poprted: No Telephone handset sup	As fast as 4.6 sec (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) (3, 3, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	As fast as 4.0 sec (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) ad copy; Watermark; reduce/enlarge; ision; Scan to job storage; Automatically sending: No Distinctive ring detection s (poll to receive only) Fax telephone moc lestinations) PC interface supported: Ye		
First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up t Up to 9999 copies 25 to 400% Booklet; Collation; Content orien Scan mode (book, 2-sided ID); St straighten Up to: 33.6 kbps / Letter: 3 sec p Black (best): Up to 300 x 300 dp Fax memory: Up to 500 pages; U supported: No Fax forwarding supported: No Junk barrier su Remote retrieval capability su 1 Gigabit Ethernet 10/100/1000T	As fast as 5.0 sec As fast as 5.0 sec o 600 x 600 dpi tation; Edge Erase; Image adjustment amps; Image overlay; Image shift; Ima er page i (400 x 400 dpi for received faxes only Jp to 500 pages Auto fax reductions supported: Yes Fax phone TAM inter poported: Yes Maximum speed dialing pported: No Telephone handset sup network; 1 Hardware Integration Pock	As fast as 4.6 sec (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) (As fast as 4.6 sec (with 8EP58AAE) (As fast as 4.6 sec (with 8EP58AAE) (Contemported: Nor Z-ordering; N-up; Optimize; 2-side (ge preview; Paper selection; Blank page supprese (ge preview; Paper selection; Blank page s	As fast as 4.0 sec (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) ad copy; Watermark; reduce/enlarge; ision; Scan to job storage; Automatically sending: No Distinctive ring detection s (poll to receive only) Fax telephone moc lestinations) PC interface supported: Ye		
First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up t Up to 9999 copies 25 to 400% Booklet; Collation; Content orien Scan mode (book, 2-sided ID); St straighten Up to: 33.6 kbps / Letter: 3 sec p Black (best): Up to 300 x 300 dp Fax memory: Up to 500 pages; U supported: No Fax forwarding supported: No Fax forwarding supported: No Junk barrier su Remote retrieval capability su 1 Gigabit Ethernet 10/100/1000T SuperSpeed USB 3.0 (host)	As fast as 5.0 sec As fast as 5.0 sec o 600 x 600 dpi tation; Edge Erase; Image adjustment amps; Image overlay; Image shift; Ima er page i (400 x 400 dpi for received faxes only Jp to 500 pages Auto fax reduction s supported: Yes Fax phone TAM inter poported: Yes Fax phone TAM inter poported: No Telephone handset sup network; 1 Hardware Integration Pock (1000T Ethernet)	As fast as 4.6 sec (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE) (As fast as 4.6 sec (with 8EP58AAE) (As fast as 4.6 sec (with 8EP58AAE) (Contemported: Nor Z-ordering; N-up; Optimize; 2-side (ge preview; Paper selection; Blank page supprese (ge preview; Paper selection; Blank page s	As fast as 4.0 sec (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE) ad copy; Watermark; reduce/enlarge; ision; Scan to job storage; Automatically sending: No Distinctive ring detection s (poll to receive only) Fax telephone mod lestinations) PC interface supported: Ye		
	Letter Black A4 Black First page out Letter Black First page out A4 Black Black (best): Up to 1200 x 1200 c Laser; Optical: Normal (600 x 60 1 (black) HP PCL 5e, HP PCL 6, HP Postsor Print preview, duplex printing, pri Yes Up to 90 ppm/180 ipm (b&w), up to ADF; Flatbed / Charge Coupled I Hardware: Up to 600 x 600 dpi; 4 Hi-Compression PDF; JPEG; MTI Front panel applications: Copy; F applications ADF Maximum: 297 x 864 mm; 1 Yes Standard, 200 sheets Version 2.4 24-bit/256 Scan to Email; scan to network ff SMTP over SSL; automatically do optimize text/picture (text, mixed preview; blank page suppression Letter Black A4 Black Letter Black Duplex	Letter BlackUp to 30 ppmA4 BlackUp to 30 ppmFirst page out Letter BlackAs fast as 8.9 secFirst page out A4 BlackAs fast as 8.9 secBlack (best): Up to 1200 x 1200 dpi reduced speed; Black (normal): UpLaser; Optical: Normal (600 x 600 4 bit); Best (1200 x 1200 1 bit)1 (black)HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPriPrint preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 7)YesUp to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) ; Up to 90 ppADF; Flatbed / Charge Coupled Device (CCD) Flatbed; Contact ImageHardware: Up to 600 x 600 dpi; Optical: Up to 600 x 600 dpiHi-Compression PDF; JPEG; MTIFF; PDF; PDFA; TIFF; XPSFront panel applications: Copy; Fax; Scan to Email; Scan to Network FaapplicationsADF Maximum: 297 x 864 mm; 11.7 x 34 in ADF Minimum: 68 x 127 mm;YesStandard, 200 sheetsVersion 2.424-bit/256Scan to Email; scan to network folder; scan to USB drive; scan to SharSMTP over SSL; automatically detect color/monochrome; high comprooptimize text/picture (text, mixed, printed picture, photograph); contempreview; blank page suppression; automatically straightenLetter BlackUp to 30 cpmA4 BlackUp to 30 cpmLetter Black DuplexUp to 20 cpm	Letter Black Up to 30 ppm Up to 35 ppm (with 8EP58AAE) A4 Black Up to 30 ppm Up to 35 ppm (with 8EP58AAE) First page out Letter Black As fast as 8.9 sec As fast as 8.1 sec (with 8EP58AAE) Black (best): Up to 1200 x 1200 dpi reduced speed: Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x Laser; Optical: Normal (600 x 600 4 bit); Best (1200 x 1200 1 bit) 1 (black) HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, PDF (v 17), AirPrint** compatible Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-a Yes Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color): Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) ADF; Flatbed / Charge Coupled Device (CCD) Flatbed: Contact Image Sensor (CIS) ADF Hordware: Up to 600 x 600 dpi; Optical: Up to 600 x 600 dpi Hi-Compression PDF; JPEG; MTIFF; PDF; PDF; TIFF; XPS Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Es applications ADF Maximum: 297 x 864 mm; 11.7 x 34 in ADF Minimum: 68 x 127 mm; 2.7 x 5 in Flatbed: 297 x 432 mm; 11.69 x 17 in Yes Standard, 200 sheets Version 2.4 24-bit/256 Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to LAN for SMTP over SSL; outomatically detect c		

E731dn Technical specifications

Memory	Standard: 6 GB; Maximum: 6 GB			
Processor speed	Quad Core (1.6GHz), Dual Core (1.4GHz) / Storage: Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP Laser Jet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)			
Duty cycle (monthly) Letter: Up to 110,000 pages			Up to 130,000 pages (with 8EP58AAE)	Up to 150,000 pages (with 8EP59AAE)
	A4:	Up to 110,000 pages	Up to 130,000 pages (with 8EP58AAE)	Up to 150,000 pages (with 8EP59AAE)
Recommended monthly page volume	Up to 20,000			
Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 10 envelopes; Input Capacities, Max Up to 3140 sheets; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays; Standard; Up to 3140 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays; Standard; Up to 3140 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays; Standard; Up to 3140 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays; Standard; Up to 3140 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays; Standard; Up to 3140 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard; Up to 3140 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard; Up to 3140 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard; Up to 3140 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard; Up to 3140 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard; Up to 3140 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard; Up to 3140 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard; Up to 3140 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard; Up to 3140 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard; Up to 3140 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard; Up to 3140 sheets; Duplex Options; Automatic; Envelope feeder: No; Standard; Duplex Options; Automatic; Envelope feeder: No; Standard; Up to 3140 sheets; Duplex Options; Automatic; Envelope feeder: No; Standard; Duplex Option; Automatic; Envelope feeder: No; Stan			
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, Card stock 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Mono Transparency, Labels, Letterhead, Envelope, Preprinted, Pre punched, Colored			
Media weight supported	Tray 1: 16 to 79.5 lb bond; Tray 2	2, 3: 16 to 58.5 lb bond		
Media sizes supported Letter,			x 17, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 8k, 16k, Envelope #9, Enve y 3: Letter, Letter R, Legal, Executive, Statement, Ofic	
Media sizes Custom	Tray 1: 3.86 x 5.83 to 11.69 x 17 i	n; Tray 2: 5.48 x 8.27 to 11.69 x 14.33 in;	Tray 3: 5.48 x 8.27 to 11.69 x 17 in	
What's in the box	50J98A In box materials; Guid	le install, Flyer Regulatory, Power Corc	ls, Keyboard/Overlay for Z model, Label, Drums	
Replacement cartridges ²¹	HP Black Managed LJ Toner Cartridge (ISO Yield 48,000) W9065MC Toner cartridge availability differs by region. For more detail, please find your market datasheets.			
Product dimensions	W x d x h: 585 x 646 x 858.1 mm; 23 x 25.4 x 33.8 in Maximum: 1681 x 1196 x 1191 mm; 66.2 x 47.1 x 46.9 in			
Product weight	63 kg; 138.9 lb			
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country, and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region			
Energy star certified	Yes			
Ecolabels	EPEAT [®] registered; IT ECO Dec	laration; Blue Angel		
Control panel	10.1-in (25.65 cm) Color Graphic	s Display (CGD) with touchscreen; rot	ating (adjustable angle) display; Speaker	
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)			
Software included	No software solutions are included in the Box; only on http://hp.com http://123.hp.com			
Compatible operating systems	Windows Client OS (32/64 bit), Win10, Win11, Win7 Ultimate, Mobile OS's, iOS, Android, Apple macOS's, Apple macOS Catalina v10.15, Apple macOS Big Sur v11.0, Apple macOS Monterey v12.0, (All operating systems with the latest updates)			
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information, see http://citrixready.citrix.com, Linux- For more information, see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information, see http://hp.com/go/unixmodelscripts, (All operating systems with the latest updates)			
Minimum system requirements	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements, see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements, see apple.com			
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 100 to 127VAC 50/60Hz, 110 to 127VAC 50/60Hz, 220 to 240VAC 50/60Hz (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 560 watts (30ppm, printing), 620 watts (35ppm, printing), 650 watts (40ppm, printing), 35.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)			
Acoustics	Acoustic power emissions: 6.65 Bel(A), printing simplex A4 at 30ppm; 6.70 Bel(A), printing simplex A4 at 35ppm; 6.75 Bel(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active, printing): 51 dB(A), printing simplex A4 at 30ppm; 52 dB(A), printing simplex A4 at 35ppm; 52.5 dB(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90ipm; 58 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 60ipm			
Operating environment	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH			


E731 Accessories²²

Accessory Description	Accessory SKU #
HP Laser Jet InnerFinisher 2/3 Hole Punch	155P7A
HP Laser Jet InnerFinisher 2/4 Hole Punch	155P8A
HP Laser Jet Workgroup Lunar Gray Color Panel	190A1A
HP Laser Jet Workgroup 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel	190A6A
HP Laser Jet Workgroup High Capacity Paper Tray/Stand Lunar Gray Color Panel	190A7A
HP Laser Jet Workgroup Stand Lunar Gray Color Panel	190A9A
HP LaserJet Workgroup Comet Red Color Panel	190B1A
HP Laser Jet Workgroup 2x520 sheet Paper Tray/Stand Comet Red Color Panel	190B6A
HP Laser Jet Workgroup High Capacity Paper Tray/Stand Comet Red Color Panel	190B7A
HP Laser Jet Workgroup Stand Comet Red Color Panel	190B9A
HP Laser Jet Workgroup Cosmic Green Color Panel	190C1A
HP Laser Jet Workgroup 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel	190C6A
HP Laser Jet Workgroup High Capacity Paper Tray/Stand Cosmic Green Color Panel	190C7A
HP Laser Jet Workgroup Stand Cosmic Green Color Panel	190C9A
HP Laser Jet Workgroup Constellation Yellow Color Panel	190D1A
HP Laser Jet Workgroup 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel	190D6A
HP Laser Jet Workgroup High Capacity Paper Tray/Stand Constellation Yellow Color Panel	190D7A
HP Laser Jet Workgroup Stand Constellation Yellow Color Panel	190D9A
HP Laser Jet Workgroup Aurora Purple Color Panel	190F1A
HP Laser Jet Workgroup 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel	190F6A
HP Laser Jet Workgroup High Capacity Paper Tray/Stand Aurora Purple Color Panel	190F7A
HP Laser Jet Workgroup Stand Aurora Purple Color Panel	190F9A
HP Removable Hard Drive Enclosure	2NR12A
HP Accessibility Kit	2TD64A
HP Jetdirect 3100w BLE/NFC/Wireless Accessory	3JN69A
HP Printing Voice Assistant	478C2A
HP Legic Secure USB Reader	40L32A
Internal USB Expansion Kit	4XN67A
HP MFP 810 Analog Dual Fax	5QK14A
HP Laser Jet 2x520 sheet Workgroup Paper Tray/Stand	6GW46A
HP Laser Jet 2000 sheet Workgroup High Capacity Paper Tray/Stand	6GW48A
HP Laser Jet Inner Finisher	6GW49A
HP Laser Jet Booklet Finisher	6GW51A
HP LaserJet Workgroup Job Separator	6GW52A
HP LaserJet Workgroup Stand	6GW54A
HP LaserJet Stapler/Stacker Finisher	6GW55A
HP Laser Jet Spacer Accessory	6GW58A
HP 500GB CCC, FIPS, TAA Hard Disk Drive	6HN31A
HP MFP 811 Analog Dual Fax	7ZA07A
HP MFP 800 Analog Single Fax	7ZA08A
HP MFP 801 Analog Single Fax	7ZA09A
HP Jetdirect LAN Accessory	8FP31A
HP 500GB CCC, FIPS Hard Disk Drive	9EQ11A
HP Foreign Interface Harness	B5L31A
HP SmartCard NIPRNet Solution for US Government	CC543B
HP SmartCard SiPRNet Solution for US Government	F8B30A
HP USB Universal Card Reader	X3D03A
HP Laser Jet Hole Punch 2/3 Accessory	Y1G10A
HP Laser Jet Inner/Booklet Staples	Y1G13A
HP Laser Jet Stapler/Stacker Finisher Staples	Y1G14A
HP Laser Jet Stupier/Stucker Finisher Stupies	Y1G22A
HP LaserJet Second Exit Accessory	Y1G23A
	YTG23A Y7C05A
HP HIP2 Keystroke Reader HP SIM for HID iClass for HIP2 Reader	
	Y7C07A 9ED59AAE
HP Laser Jet Managed MFP E731 30 to 35ppm License	8EP58AAE
HP Laser Jet Managed MFP E731 30 to 40ppm License	8EP59AAE
HP LaserJet Managed MFP E731 35 to 40ppm License	8LB47AAE

Configuration

HP Color LaserJet Managed MFP E731 series

Select only one finisher accessory: Recommended²³



• Media weight: 60 to 300 gsm (16 to 79 lb)

Paper Handling Accessories

HP Color LaserJet Managed MFP E731 series

Stand (6GW54A)	2x520 sheet paper tray/stand (6GW46A)	2000 sheet high-capacity paper tray/stand (6GW48A)
Required:	Requirements vary by region; only one can	be added at a time.
Input capacity: N/A	Tray 1: up to 520 sheets Tray 2: up to 520 sheets	Up to 2,000 sheets
Inner finisher (6GW49A)	Stapler/stacker finisher (6GW55A)	Booklet finisher (6GW51A)
Top tray: up to 50 sheets Main (finishing) tray: up to 500 sheets	Top tray: up to 250 sheets Main (finishing) tray: up to 3,000 sheets	Top tray: up to 250 sheets Main (finishing) tray: up to 2,000 sheets Booklet tray: ~5 sets of 25 sheets each
One finisher accessory is recommended; only on	e can be added at a time. ²³²⁴	
Staples up to 50 sheets	Staples up to 65 sheets	Staples up to 65 sheets

Compatibility of accessories differs by region. For more detail, reach out to your local HP team or HP authorized partner.

Disclaimers and trademarks

Legal Footnotes

- 1. HP Security is now HP Wolf Security. Security features vary by platform; please see the product data sheet for details.
- 2. DMIPS comparison based on main system processor core on predecessor comparison; Managed E876/E825/E778/E731/E774/E724 series vs. Managed E800/E700 series product platforms.
- 3. Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims Exact speed varies depending on the system configuration, software application, driver, and document complexity. E786 series models can print up to 35 ppm.
- 4. Management of customized delivery options are only available with the optional Workflow accelerator card availability expected in January 2023.
- 5. Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Measured using standards found at: http://standards.iso.org/ittf/PubliclyAvailableStandards/SC28_Test_Pages/
- 6. Workflow Accelerator card 6HN30A will be available in January 2023.
- 7. Color panels are optional and availability may vary. Check with your HP Reseller for details.
- 8. HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT* registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
- 9. 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced, certified, and recycled fibers.
- 10. 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed.
- 11. Recycled Content 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See <u>hp.com/go/TonerRecycledContent</u> for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.
- 12. See hp.com/TonerRecycledContent for list of individual supply percentages for the Original HP Toner supply use of recycled content.
- 13. HP printer, HP paper and Original HP supply Blue Angel DE-UZ 219 Emissions Criteria.
- 14. Dependent upon country setup specifications.
- 15. HP Planet Partners Program availability varies. For more information, visit hp.com/hprecycle
- 16. HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit <u>hp.com/go/PrintersThatProtect</u> For more information, visit <u>hp.com/go/PrinterSecurityClaims</u>
- 17. HP Security Manager must be purchased separately.
- 18. Hardware Integration Pocket Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
- 19. HP EveryPage Technology is powered by ultrasonic multi-feed detection.
- 20. Measured using ISO/IEC 17629. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 21. Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies
- 22. Accessories vary by region.
- 23. Requires selection of HP LaserJet Second Exit (Y1G23A).
- 24. Stapler/stacker and Booklet finisher require selection of HP LaserJet Spacer (6GW58A).

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

