HP LaserJet Managed Flow MFP E826z **Printer Series**



Powerful, Flexible, Secure,

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers you'll stay secure and simplify fleet management for busy IT pros.



Unleash peak productivity

- Experience speed and performance like no other with our fastest ever 300 ipm² duplex scan technology.
- Work faster and without interruptions with reverse and retry technology that automatically detects and resolves double feed issues.
- Easily scan and capture text from documents with high accuracy with OCR software, increase productivity with the optional accelerator card.
- Save time by simply scanning once and sending to multiple destinations with customized shortcuts built to eliminate steps and improve accuracy.

Customizable solutions built to last

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.3
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader

Always on guard with HP Wolf Security

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.6
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic. 7 Printing that puts
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel.8
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.9

Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)¹
- 2. Flatbed scanner handles sheets up to 11x17 in (297 x 432 mm)
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port²
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to SRA3 (12x18 in)
- 14. 300-sheet dual side ADF supports media sizes up to A3 (11x17 in) (Flow models only)³
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Full size keyboard
- 18. Right door access to the print path
- 19. 100-sheet multipurpose tray 1 supports media sizes up to SRA3 (12x18 in)
- 20. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 21. Optional 2 x 520-sheet dual tray/stand supports media sizes up to SRA3 (12x18 in)



Series at a glance

Model	HP Laser Jet Managed Flow MFP E826z				
Product number	5QK13A	5QK13A (Base) + 8EP63AAE (Speed license)	5QK13A (Base) + 8EP64AAE (Speed license)		
Print speed (A4 and letter, Black)³	Up to 50 ppm	Up to 60 ppm	Up to 70 ppm		
Scan speed (A4 and letter, Black)⁴	150 ppm/300 ipm, simplex/duplex				
Functions	Print, copy, and scan (fax and wireless optional) (all models)				
ADF capacity	300 sheets				
Input capacity	Standard: 1,140 sheets; Maximum: 6,140 sheets (all models)				
Advanced workflow features	HP EveryPage technology, full size keyboard, embedded OCR, reverse and retry, auto orientation, auto-tone, auto page-crop, document editing, auto paper color removal, automatically straighten, job separation				

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ² An administrator must enable the easy-access USB port before use. ³ The E826 series Flow models include a 300-sheet ADF. The ADF on all devices can scan documents up to 11 x 17 inches (A3). ⁴ Measured using ISO/IEC 24734, excludes First set of test documents. For more information, see hp. com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁵ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Top features

Get more done faster with industry leading printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quadcore processor. Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for tomorrow.

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can keep your business running.
Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

Services and Solutions

Service and Support	U03HZE - HP 1 year Next Business Day with DMR Service for Laser Jet Managed MFP E826xx U03J0E - HP 3 year Next Business Day with DMR Service for Laser Jet Managed MFP E826xx U04MWE - HP 4 year Next Business Day with DMR Service for Laser Jet Managed MFP E826xx U04MWE - HP 5 year Next Business Day with DMR Service for Laser Jet Managed MFP E826xx U04MYE - HP 3 year 4 hour 9x5 with DMR Service for Laser Jet Managed MFP E826xx U04MYE - HP 4 year 4 hour 9x5 with DMR Service for Laser Jet Managed MFP E826xx U04MYE - HP 5 year 4 hour 9x5 with DMR Service for Laser Jet Managed MFP E826xx U04MYE - HP 5 year 4 hour 9x5 with DMR Service for Laser Jet Managed MFP E826xx U04N0E - HP 5 year 8
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Command Center; HP Smart Printer Administrator's Resource Kit

Front panel optional colors



*Available with optional color panel accessories

		*Available with optional color panel accessories			
Accessories	1EED74	HP Laser let InnerFinisher 2/3 Hole Punch			
	155P8A	HP LaserJet InnerFinisher 2/4 Hole Punch			
	190A3A HP Laser Jet Department Lunar Gray Color Panel 190A4A HP Laser Jet Department 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel				
		HP LaserJet Department 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel			
	190A5A	HP LaserJet Department High Capacity Paper Tray/Stand Lunar Gray Color Panel			
	190A8A	HP LaserJet Department Stand Lunar Gray Color Panel			
	190B3A	HP LaserJet Department Comet Red Color Panel			
	190B4A	HP LaserJet Department 2x520 sheet Paper Tray/Stand Comet Red Color Panel			
	190B5A	HP LaserJet Department High Capacity Paper Tray/Stand Comet Red Color Panel			
	190B8A	HP LaserJet Department Stand Comet Red Color Panel			
	190C3A	HP LaserJet Department Cosmic Green Color Panel			
	190C4A	HP LaserJet Department 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel			
	190C5A	HP LaserJet Department High Capacity Paper Tray/Stand Cosmic Green Color Panel			
	190C8A	HP LaserJet Department Stand Cosmic Green Color Panel			
	190D3A	HP LaserJet Department Constellation Yellow Color Panel			
	190D4A	HP LaserJet Department 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel			
	190D5A	HP LaserJet Department High Capacity Paper Tray/Stand Constellation Yellow Color Panel			
	190D8A	HP LaserJet Department Stand Constellation Yellow Color Panel			
	190F3A	HP LaserJet Department Aurora Purple Color Panel			
	190F4A	HP LaserJet Department 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel			
	190F5A	HP LaserJet Department High Capacity Paper Tray/Stand Aurora Purple Color Panel			
	190F8A	HP LaserJet Department Stand Aurora Purple Color Panel			
	2NR12A	HP Removable Hard Drive Enclosure			
	2TD64A	HP Accessibility Kit			
	3JN69A 478C2A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory			
	476C2A 4QL32A	HP Printing Voice Assistant			
	4QL3ZA 4XN67A	HP Legic Secure USB Reader			
	50K14A	Internal USB Expansion Kit HP MFP 810 Analog Dual Fax			
		HP LaserJet 2x520 sheet Department Paper Tray/Stand			
		THE LOSE JUST LONG TO DEPORT THE HEAVY STORING HEAVY STORING THE LOSE JUST LONG TO THE HEAVY STORING T			
		HP LaserJet Department Job Separator			
		HP Laser Jet Booklet Finisher			
		HP LaserJet Department Stand			
		HP LaserJet Stapler/Stacker Finisher			
		HP LaserJet 3000 sheet Department High Capacity Paper Tray/Stand			
		HP LaserJet 2000 sheet Department High Capacity Paper Tray/Stand			
	6HN30A	HP LaserJet Workflow Accelerator Card			
	6HN31A	HP 500GB CCC, FIPS, TAA Hard Disk Drive			
	7ZA07A	HP MFP 811 Analog Dual Fax			
	7ZA08A	HP MFP 800 Analog Single Fax			
	7ZA09A	HP MFP 801 Analog Single Fax			
	8FP31A	HP Jetdirect LAN Accessory			
	9EQ11A	HP 500GB CCC, FIPS Hard Disk Drive			
	B5L31A	HP Foreign Interface Harness			
	CC543B	HP SmartCard NIPRNet Solution for US Government			
	F8B30A	HP SmartCard SIPRNet Solution for US Government			
	X3D03A	HP USB Universal Card Reader			
	Y1G10A	HP LaserJet Hole Punch 2/3 Accessory			
	Y1G13A	HP LaserJet Inner/Booklet Staples			
	Y1G14A	HP Laser Jet Stapler/Stacker Finisher Staples			
	Y1G22A	HP Laser Jet Paper Tray Heaters Accessory			
	Y7C05A	HP HIP2 Keystroke Reader			
	Y7C07A	HP SIM for HID iClass for HIP2 Reader			
Speed Licenses	00000440	T III Look let Managed MFD F026 F0 to 60 ppm License			
		E HP LaserJet Managed MFP E826 50 to 60ppm License E HP LaserJet Managed MFP E826 50 to 70ppm License			
		HP LaserJet Managed MFP E826 60 to 70ppm License			
	OLDO ITAL	Education Minaged Local day to Fappin Electric			

 $^{^{*}} Inner finisher / Inner finisher hole punches are not compatible with 70 ppm *^{*} HP Laser Jet Workflow Accelerator Card, 6HN 30A will be available in January 2023.$

Technical specifications

	Print, copy, scan, fax (optional)					
Print speed ^{1,2}	Letter Black	Up to 50ppm	Up to 60ppm (with 8EP63AAE)	Up to 70ppm (with 8EP64AAE)		
Time Speed	A4 Black	Up to 50ppm	Up to 60ppm (with 8EP63AAE)	Up to 70ppm (with 8EP64AAE)		
	First page out Letter Black	As fast as 7.2 sec	As fast as 6.9 sec (with 8EP63AAE)	As fast as 6.8 sec (with 8EP64AAE)		
	First page out A4 Black	As fast as 7.2 sec	As fast as 6.9 sec (with 8EP63AAE)	As fast as 6.8 sec (with 8EP64AAE)		
Print resolution	Black (best): Up to 1200 x 1200 dpi full s	peed; Black (normal): Up to 600	x 600 dpi; Black (fine lines): Up to 1200 x 1200 dp	i		
Print technology	Laser: Optical: Normal (600 x 600 4 bit): Best (1200 x 1200 1 bit)					
Print cartridges number	1 (black)					
Standard print languages	()	Remulation DDE (v.1.7) AirDrint	TM compatible			
Printer smart software features	HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB					
Color scanning	Yes					
Scan speed Normal ⁵	Up to 150 ppm/300 ipm (b&w), up to 150 ppm/300 ipm (color) Letter; Up to 150 ppm/300 ipm (b&w), up to 150 ppm/300 ipm (color) A4 Duplex : Up to 300 ipm (b&w), up to 300 ipm (color) Letter; Up to 300 ipm (color) A4					
Scan type / Technology	Flatbed. ADF / Platen Scanner CCD Digital-CIS					
Scan resolution	Hardware: Up to 600 x 600 dpi; Optical: U					
Scan file format		•	VDS_DDE (OCD) Hi Compression DDE (OCD) DDE/A	(OCB) Hi Compression DDE/A (OCB) TEV		
Scan input modes	PDF, Hi-Compression PDF, PDF/A, Hi-Compression PDF/A, JPEG, TIFF, MTIFF, XPS, PDF (OCR), Hi-Compression PDF (OCR), PDF/A (OCR), Hi-Compression					
	Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications					
Scan Size		,	7 x 5 in Flatbed: 297 x 432 mm; 11.69 x 17 in			
Scanner advanced features	Embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps					
Duplex ADF scanning	Yes, single pass duplex scanning					
ADF capacity	Standard, 300 sheets					
Twain version	Version 2.4					
Bit depth / Grayscale levels	24-bit/256					
Digital sending standard features	Scan to e-mail; save-to-network folder; save-to-USB drive; send to Sharepoint; send to FTP; send to sFTP; send to LAN fax; send to Internet Fax; local address book; SMTP over SSL; auto color sense; compact PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (auto, text, mixed, printed picture, photograph); content orientation; ID scan; job build; watermark; stamps; book mode scans; erase edges; image preview, blank page suppression; scato multi destination, embedded OCR; auto-tone, auto orientation, auto-page-crop; multi-feed detection; reverse and retry; document editing; auto paper color remojob separation; automatically straighten					
		o-torie, auto orientation, auto ip	rage-crop, mutti-reed detection, reverse and retry, t	document editing; auto paper color removi		
Copy speed		Up to 50 cpm	Up to 60 cpm (with 8EP63AAE)	Up to 70 cpm (with 8EP64AAE)		
Copy speed	job separation; automatically straighten Letter Black A4 Black			Up to 70 cpm (with 8EP64AAE) Up to 70 cpm (with 8EP64AAE)		
Copy speed	job separation; automatically straighten Letter Black A4 Black Letter Black Duplex	Up to 50 cpm	Up to 60 cpm (with 8EP63AAE)	Up to 70 cpm (with 8EP64AAE) Up to 70 cpm (with 8EP64AAE) Up to 70 cpm (with 8EP64AAE)		
Copy speed	job separation; automatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex	Up to 50 cpm	Up to 60 cpm (with 8EP63AAE)	Up to 70 cpm (with 8EP64AAE)		
Copy speed	job separation; automatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black	Up to 50 cpm As fast as 3.9 sec	Up to 60 cpm (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE)	Up to 70 cpm (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE)		
	job separation; automatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black	Up to 50 cpm As fast as 3.9 sec As fast as 3.9 sec	Up to 60 cpm (with 8EP63AAE)	Up to 70 cpm (with 8EP64AAE)		
	job separation; automatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black	Up to 50 cpm As fast as 3.9 sec As fast as 3.9 sec	Up to 60 cpm (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE)	Up to 70 cpm (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE)		
Copy resolution	Job separation; automatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 60	Up to 50 cpm As fast as 3.9 sec As fast as 3.9 sec	Up to 60 cpm (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE)	Up to 70 cpm (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE)		
Copy resolution	Job separation; automatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 60	Up to 50 cpm As fast as 3.9 sec As fast as 3.9 sec	Up to 60 cpm (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE)	Up to 70 cpm (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE)		
Copy resolution Maximum number of copies Copier resize Copier settings	job separation; automatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 x 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adjiphotograph); N-Up; N or Z-ordering; cont automatically detect color/monochrome; Document Editing; Auto Paper Color Rem	Up to 50 cpm As fast as 3.9 sec As fast as 3.9 sec Odpi Ustrments (darkness, contrast, beent orientation; collation; booklimage preview; Image Shift; Pap	Up to 60 cpm (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) ackground cleanup, sharpness); optimized text/pieet; ID scan; job build; job storage; watermark; stam er Selection; collate; Blank Page Suppression; Mult	Up to 70 cpm (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE)		
Copy resolution Maximum number of copies Copier resize Copier settings	job separation; automatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 x 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adjiphotograph); N-Up; N or Z-ordering; cont automatically detect color/monochrome;	Up to 50 cpm As fast as 3.9 sec As fast as 3.9 sec Odpi Ustrments (darkness, contrast, beent orientation; collation; booklimage preview; Image Shift; Pap	Up to 60 cpm (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) ackground cleanup, sharpness); optimized text/pieet; ID scan; job build; job storage; watermark; stam er Selection; collate; Blank Page Suppression; Mult	Up to 70 cpm (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE)		
Copy resolution Maximum number of copies Copier resize Copier settings Fax speed	job separation; automatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 x 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adjiphotograph); N-Up; N or Z-ordering; cont automatically detect color/monochrome; Document Editing; Auto Paper Color Rem	Up to 50 cpm Up to 50 cpm Up to 50 cpm Up to 50 cpm As fast as 3.9 sec As fast as 3.9 sec Odpi ustments (darkness, contrast, beent orientation; collation; booklimage preview; Image Shift; Papioval; Job Separation; Automatic	Up to 60 cpm (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) as fast as 3.4 sec (with 8EP63AAE) ackground cleanup, sharpness); optimized text/picet; ID scan; job build; job storage; watermark; stam er Selection; collate; Blank Page Suppression; Multially Straighten;	Up to 70 cpm (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE)		
Copy resolution Maximum number of copies Copier resize Copier settings Fax speed Fax resolution	Job separation; automatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adj photograph); N-Up; N or Z-ordering; cont automatically detect color/monochrome; Document Editing; Auto Paper Color Rem Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 4 Fax memory: Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax phone	Up to 50 cpm As fast as 3.9 sec As fast as 3.9 sec Od dpi ustments (darkness, contrast, beent orientation; collation; booklimage preview; Image Shift; Papioval; Job Separation; Automatic	Up to 60 cpm (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) as fast as 3.4 sec (with 8EP63AAE) ackground cleanup, sharpness); optimized text/picet; ID scan; job build; job storage; watermark; stam er Selection; collate; Blank Page Suppression; Multially Straighten;	Up to 70 cpm (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) cture (Auto, text, mixed, printed picture, ps; book mode scans, erase edges; i-feed Detection; Reverse and Retry; No Distinctive ring detection supported: No Junk barrie		
Copy resolution Maximum number of copies Copier resize Copier settings Fax speed Fax resolution Fax Features	job separation; automatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 x 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adjiphotograph); N-Up; N or Z-ordering; cont automatically detect color/monochrome; Document Editing; Auto Paper Color Rem Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 4 Fax memory: Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing in No Telephone handset supported: No	Up to 50 cpm Up to 50 cpm Up to 50 cpm Up to 50 cpm As fast as 3.9 sec As fast as 3.9 sec Odpi Ustments (darkness, contrast, bent orientation; collation; booklimage preview; Image Shift; Papioval; Job Separation; Automatic Od dpi for received faxes only); pages Auto fax reduction supper TAM interface supported: No Faurmbers: Up to 1000 numbers (e	Up to 60 cpm (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) ackground cleanup, sharpness); optimized text/picet; ID scan; job build; job storage; watermark; stamer Selection; collate; Blank Page Suppression; Multially Straighten; Black (standard): 203 × 98 dpi orted: Yes Auto-redialing: Yes Fax delayed sending: xx polling supported: Yes (poll to receive only) Fax I	Up to 70 cpm (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) cture (Auto, text, mixed, printed picture, ps; book mode scans; erase edges; i-feed Detection; Reverse and Retry; No Distinctive ring detection supported: No Junk barried; yes Remote retrieval capability supported:		
Copy resolution Maximum number of copies Copier resize Copier settings Fax speed Fax resolution Fax Features Standard connectivity	Job separation; automatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 x 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adj photograph); N-Up; N or Z-ordering; cont automatically detect color/monochrome; Document Editing; Auto Paper Color Rem Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 4) Fax memory: Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing in No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T netwoi	Up to 50 cpm As fast as 3.9 sec As fast as 3.9 sec Od dpi Ustments (darkness, contrast, bent orientation; collation; booklimage preview, Image Shift; Papioval; Job Separation; Automatic 400 dpi for received faxes only); pages Auto fax reduction suppre TAM interface supported: No Faumbers: Up to 1000 numbers (etc.; 1 Hardware Integration Pocket)	Up to 60 cpm (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) ackground cleanup, sharpness); optimized text/picet; ID scan; job build; job storage; watermark; stamper Selection; collate; Blank Page Suppression; Multially Straighten; Black (standard): 203 × 98 dpi orted: Yes Auto-redialing: Yes Fax delayed sending: xpolling supported: Yes (poll to receive only) Fax leach with 210 destinations) PC interface supported	Up to 70 cpm (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) cture (Auto, text, mixed, printed picture, ps; book mode scans; erase edges; i-feed Detection; Reverse and Retry; No Distinctive ring detection supported: No Junk barried; yes Remote retrieval capability supported:		
Copy resolution Maximum number of copies Copier resize Copier settings Fax speed Fax resolution Fax Features Standard connectivity Network capabilities	Job separation; automatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 x 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adj photograph); N-Up; N or Z-ordering; cont automatically detect color/monochrome; Document Editing; Auto Paper Color Rem Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 4) Fax memory: Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing in No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T networe SuperSpeed USB 3.0 (host)	Up to 50 cpm As fast as 3.9 sec As fast as 3.9 sec Odpi Ustments (darkness, contrast, bent orientation; collation; booklimage preview, Image Shift; Papioval; Job Separation; Automatic 400 dpi for received faxes only); pages Auto fax reduction supple TAM interface supported: No Faumbers: Up to 1000 numbers (erk; 1 Hardware Integration Pocker)	Up to 60 cpm (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) ackground cleanup, sharpness); optimized text/picet; ID scan; job build; job storage; watermark; stamper Selection; collate; Blank Page Suppression; Multially Straighten; Black (standard): 203 × 98 dpi orted: Yes Auto-redialing: Yes Fax delayed sending: xpolling supported: Yes (poll to receive only) Fax leach with 210 destinations) PC interface supported	Up to 70 cpm (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) cture (Auto, text, mixed, printed picture, ps; book mode scans; erase edges; i-feed Detection; Reverse and Retry; No Distinctive ring detection supported: No Junk barries (EYes Remote retrieval capability supported: No Section 1997)		
Copy resolution Maximum number of copies Copier resize Copier settings Fax speed Fax resolution Fax Features Standard connectivity Network capabilities Wireless capability	Job separation; automatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 x 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adj photograph); N-Up; N or Z-ordering; cont automatically detect color/monochrome; Document Editing; Auto Paper Color Rem Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 4) Fax memory: Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing in No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T network SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Optional, enabled with purchase of a hard	Up to 50 cpm As fast as 3.9 sec As fast as 3.9 sec Od dpi Ustments (darkness, contrast, bent orientation; collation; booklimage preview; Image Shift; Papioval; Job Separation; Automatic 400 dpi for received faxes only); pages Auto fax reduction supple TAM interface supported: No Faumbers: Up to 1000 numbers (erk; 1 Hardware Integration Pockers)	Up to 60 cpm (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) ackground cleanup, sharpness); optimized text/picet; ID scan; job build; job storage; watermark; stamer Selection; collate; Blank Page Suppression; Multially Straighten; Black (standard): 203 × 98 dpi orted: Yes Auto-redialing: Yes Fax delayed sending: xx polling supported: Yes (poll to receive only) Fax teach with 210 destinations) PC interface supported: Yet 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host	Up to 70 cpm (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) cture (Auto, text, mixed, printed picture, ps; book mode scans; erase edges; i-feed Detection; Reverse and Retry; No Distinctive ring detection supported: No Junk barrie; tyes Remote retrieval capability supported: Yes Remote retrieval capability supported:		
Copy resolution Maximum number of copies Copier resize Copier settings Fax speed Fax resolution Fax Features Standard connectivity Network capabilities Wireless capability Mobile printing capability	Job separation; automatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 x 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adj photograph); N-Up; N or Z-ordering; cont automatically detect color/monochrome; Document Editing; Auto Paper Color Rem Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 4) Fax memory: Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing in No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T network SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Optional, enabled with purchase of a hard Apple AirPrint™; Mopria™ Certified; Wi-Fi®	Up to 50 cpm As fast as 3.9 sec As fast as 3.9 sec Od dpi Ustments (darkness, contrast, bent orientation; collation; booklimage preview; Image Shift; Papioval; Job Separation; Automatic 400 dpi for received faxes only); pages Auto fax reduction supple TAM interface supported: No Faumbers: Up to 1000 numbers (erk; 1 Hardware Integration Pockers)	Up to 60 cpm (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) ackground cleanup, sharpness); optimized text/picet; ID scan; job build; job storage; watermark; stamer Selection; collate; Blank Page Suppression; Multially Straighten; Black (standard): 203 × 98 dpi orted: Yes Auto-redialing: Yes Fax delayed sending: xx polling supported: Yes (poll to receive only) Fax teach with 210 destinations) PC interface supported: Yet 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host	Up to 70 cpm (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) cture (Auto, text, mixed, printed picture, ps; book mode scans; erase edges; i-feed Detection; Reverse and Retry; No Distinctive ring detection supported: No Junk barried; yes Remote retrieval capability supported:		
Copy resolution Maximum number of copies Copier resize Copier settings Fax speed Fax resolution Fax Features Standard connectivity Network capabilities Wireless capability Mobile printing capability	Job separation; automatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adjiphotograph); N-Up; N or Z-ordering; cont automatically detect color/monochrome; Document Editing; Auto Paper Color Rem Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing in No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T networ SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Optional, enabled with purchase of a hard Apple AirPrint™; Mopria™ Certified; Wi-Fi® Standard:6 GB; Maximum:6 GB Quad Core (1.6GHz), Dual Core (1.4GHz) /	Up to 50 cpm Up to 50 cpm Up to 50 cpm Up to 50 cpm As fast as 3.9 sec As fast as 3.9 sec Odpi Ustments (darkness, contrast, beent orientation; collation; booklimage preview; Image Shift; Papioval; Job Separation; Automatic 400 dpi for received faxes only); pages Auto fax reduction supported: No Faumbers: Up to 1000 numbers (erk; 1 Hardware Integration Pocket; 2 Hardware Integration Pocket; 3 Hardware Integration Pocket; 5 Hardware Integration Pocket; 5 Hardware Integration Pocket; 5 Hardware Integration Pocket; 6 Hardware Integration Pocket; 7 Hardware Integration Pocket; 8 Hardware Integration Pocket; 9 Hardware Integration Pocket; 9 Hardware Integration Pocket; 1 Hardware Integration Pocket; 2 Hardware Integration Pocket; 2 Hardware Integration Pocket; 3 Hardware Integration Pocket; 3 Hardware Integration Pocket; 4 Hardware Integration Pocket; 5 Hardware Integration Pocket; 6 Hardware Integration Pocket; 7 Hardware Integration Pocket; 8 Hardware Integration Pocket; 9 Hardw	Up to 60 cpm (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) ackground cleanup, sharpness); optimized text/picet; ID scan; job build; job storage; watermark; stamer Selection; collate; Blank Page Suppression; Multially Straighten; Black (standard): 203 x 98 dpi orted: Yes Auto-redialing; Yes Fax delayed sending; w polling supported: Yes (poll to receive only) Fax teach with 210 destinations) PC interface supported: Yes Auto-redialing; Yes (poll to receive only) Fax teach with 210 destinations) PC interface supported: Yes Auto-redialing; Yes fax delayed sending; at 21d generation (HIP2); 1 Hi-Speed USB 2.0 (host print (optional); PrinterOn Print	Up to 70 cpm (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) Citure (Auto, text, mixed, printed picture, ps; book mode scans; erase edges; i-feed Detection; Reverse and Retry; No Distinctive ring detection supported: No Junk barrie it: Yes Remote retrieval capability supported: Yes Remote retrieval Yes Yes Remote retrieval Y		
Copy resolution Maximum number of copies Copier resize Copier settings Fax speed Fax resolution Fax Features Standard connectivity Network capabilities Wireless capability Mobile printing capability Memory Processor speed	Job separation; automatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adjiphotograph); N-Up; N or Z-ordering; cont automatically detect color/monochrome; Document Editing; Auto Paper Color Rem Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing in No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T networksuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Optional, enabled with purchase of a hard Apple AirPrint™; Mopria™ Certified; Wi-Fi® Standard:6 GB; Maximum:6 GB Quad Core (1.6GHz), Dual Core (1.4GHz) / hardware encryption; Secure erase capabi	Up to 50 cpm As fast as 3.9 sec As fast as 3.9 sec Odpi Ustments (darkness, contrast, been orientation; collation; booklings proval; Job Separation; Automatic Od dpi for received faxes only); pages Auto fax reduction support TAM interface supported: No Faumbers: Up to 1000 numbers (erk; 1 Hardware Integration Pocker) University of the control of the contro	Up to 60 cpm (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) ackground cleanup, sharpness); optimized text/picet; ID scan; job build; job storage; watermark; stamer Selection; collate; Blank Page Suppression; Multially Straighten; Black (standard): 203 x 98 dpi orted: Yes Auto-redialing; Yes Fax delayed sending; wpolling supported: Yes (poll to receive only) Fax teach with 210 destinations) PC Interface supported: Yes and generation (HIP2); 1 Hi-Speed USB 2.0 (host print (optional); PrinterOn Print soo GB hard disk drive / Hard disk: Standard, HP Lasery Job Files, Secure Erase-Job Data, Secure ATA Erasery Job Files, Secure ATA Erasery	Up to 70 cpm (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) Exture (Auto, text, mixed, printed picture, ps; book mode scans; erase edges; i-feed Detection; Reverse and Retry; No Distinctive ring detection supported: No Junk barries: Yes Remote retrieval capability supported: Yes Remote retrieval capability supported: Yes Remote retrieval Capability supported: Signature of the supported: Yes Remote retrieval Capability Supported: Yes Remot		
Copy speed Copy resolution Maximum number of copies Copier resize Copier settings Fax speed Fax resolution Fax Features Standard connectivity Network capabilities Wireless capability Mobile printing capability Memory Processor speed Duty cycle (monthly)	Job separation; automatically straighten Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adjiphotograph); N-Up; N or Z-ordering; cont automatically detect color/monochrome; Document Editing; Auto Paper Color Rem Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing in No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T networ SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Optional, enabled with purchase of a hard Apple AirPrint™; Mopria™ Certified; Wi-Fi® Standard:6 GB; Maximum:6 GB Quad Core (1.6GHz), Dual Core (1.4GHz) /	Up to 50 cpm Up to 50 cpm Up to 50 cpm Up to 50 cpm As fast as 3.9 sec As fast as 3.9 sec Odpi Ustments (darkness, contrast, beent orientation; collation; booklimage preview; Image Shift; Papioval; Job Separation; Automatic 400 dpi for received faxes only); pages Auto fax reduction supported: No Faumbers: Up to 1000 numbers (erk; 1 Hardware Integration Pocket; 2 Hardware Integration Pocket; 3 Hardware Integration Pocket; 5 Hardware Integration Pocket; 5 Hardware Integration Pocket; 5 Hardware Integration Pocket; 6 Hardware Integration Pocket; 7 Hardware Integration Pocket; 8 Hardware Integration Pocket; 9 Hardware Integration Pocket; 9 Hardware Integration Pocket; 1 Hardware Integration Pocket; 2 Hardware Integration Pocket; 2 Hardware Integration Pocket; 3 Hardware Integration Pocket; 3 Hardware Integration Pocket; 4 Hardware Integration Pocket; 5 Hardware Integration Pocket; 6 Hardware Integration Pocket; 7 Hardware Integration Pocket; 8 Hardware Integration Pocket; 9 Hardw	Up to 60 cpm (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) ackground cleanup, sharpness); optimized text/picet; ID scan; job build; job storage; watermark; stamer Selection; collate; Blank Page Suppression; Multially Straighten; Black (standard): 203 x 98 dpi orted: Yes Auto-redialing; Yes Fax delayed sending; w polling supported: Yes (poll to receive only) Fax teach with 210 destinations) PC interface supported: Yes Auto-redialing; Yes (poll to receive only) Fax teach with 210 destinations) PC interface supported: Yes Auto-redialing; Yes fax delayed sending; at 21d generation (HIP2); 1 Hi-Speed USB 2.0 (host print (optional); PrinterOn Print	Up to 70 cpm (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) cture (Auto, text, mixed, printed picture, ps; book mode scans; erase edges; i-feed Detection; Reverse and Retry; No Distinctive ring detection supported: No Junk barried: Yes Remote retrieval capability supported: Yes Remote retrieval capability supported: No Junk barried: Yes Remote retrieval capability supported: Yes Remote retrieval capab		

Technical specifications

Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 50 envelopes; Input Capacities, Max: Up to 6,140 sheets; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets Transparencies; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3			
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Mono Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored			
Media weight supported	Tray 1, 2, 3: 16 to 86.5 lb bond; Tray 1, 2, 3: 60 to 325 g/m²			
Media sizes supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8,10 x 15, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Letter R, Legal, Executive, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8,10 x 15, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C6, Envelope C6, Envelope D1; Tray 2: A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope C5, Envelope C6, Envelope			
Media Sizes Custom	Tray 1: 3.86 x 5.5 to 12.59 x 18 in; Tray 2: 3.86 x 5.5 to 9.5 x 11.69 in; Tray 3: 5.5 x 7.17 to 12.59 x 18 in Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 241.5 x 297 mm; Tray 3: 140 x 182 to 320 x 457.2 mm			
What's in the box	5QK13A In box materials ; Guide install, Flyer Regulatory, Power Cords, Keyboard/Overlay for Z model, Label, Drums.			
Replacement cartridges ⁴	HP Black Managed LJ Toner Cartridge (ISO Yield 60,000) W9085MC			
Product dimensions	W x d x h: 638.8 x 745.9 x 933.9 mm; 25.2 x 29.4 x 36.8 in Maximum: 1656.7 x 1301 x 1503.9 mm; 65.2 x 51.2 x 59.2 in			
Product weight	82.9 kg; 182.7 lb			
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region.			
Energy star certified	Yes			
Ecolabels	EPEAT® registered; IT ECO Declaration; Blue Angel			
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker			
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)			
Software included	No software solutions are included in the Box only on http://hp.com.http://123.hp.com			
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs			
Compatible operating systems	Windows 11; Windows 10; Windows 7; Windows Client 0S; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS			
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit, Citrix Server 6.5, Citrix Server 2019 64-bit, Windows Server 2022 64-bit, Citrix Server 6.5, Citrix Server 7.18 for more information http://citrixready.citrix.com, Linux-For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix-For more information see http://hp.com/go/unixmodelscripts, Linux-For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix-For more information see http://hp.com/go/unixmodelscripts, (All operating systems with the latest updates)			
Minimum system	PC: 2 (B available hard disk space, internet connection, or USB port, internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available			
requirements	hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com			
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 12.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 7.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 870 watts (50ppm, printing), 1010 watts (60ppm, printing), 1090 watts (70ppm, printing), 36.0 watts (ready), 0.9 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)			
Acoustics	Acoustic power emissions: 6.85 Bel(A), printing simplex A4 at 50ppm; 6.95 Bel(A), printing simplex A4 at 60ppm; 7.10 Bel(A), printing simplex A4 at 70ppm; Acoustic Pressure Emissions (active, printing): 53dB(A), printing simplex A4 at 50ppm; 54dB(A), printing simplex A4 at 60ppm; 55dB(A), printing simplex A4 at 70ppm; Acoustic Pressure Emissions (active scan): 54dB(A), ADF scan A4 at 90ipm; 59dB(A), ADF scan A4 at 150ipm			
Operating environment	Operating temperature range: 15 to 30°C 59 to 86°F; Recommended operating temperature: 15 to 30°C 59 to 86°F; Storage temperature range: -10 to 40°C 14 to 104°F; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH			

Messaging Footnotes

- 1 HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-HPs most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive inclass printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: http://www.hp.com/go/PrinterShartProtect. For more information, visit: http://www.hp.com/go/PrinterSecurityClaims .

 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Measured using standards found at: http://standards.iso.org/littf/PubliclyAvailableStandards/SC28_Test_Pages/
 Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps.

 To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.

 HP Security is now HP Wolf Security. Security features vary by platform. For more information, visit http://www.hp.com/wolfsecurity.

 Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information; statisphly sourced certified and recycled fibers.

- 6 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.
 7 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list.
- Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.

 HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines.

 HP printer, HP paper and Original HP supply Blue Angel DE-UZ 219 Emissions Criteria.

Technical Specifications Footnotes

- Neasured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

 Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies.

 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 For Scan software, we support: Windows UPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (UPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)

















