

# **bizhub** C4001i Color A4 printer









## **CUSTOMER BENEFITS**



Intuitive operability
Operate the bizhub like a smartphone or tablet
with fully customized user interface



**Mobile connectivity**Print anytime from anywhere with Konica
Minolta's innovative mobile technologies



#### Services


Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup



### Sustainability

Numerous eco features reduce energy consumption and costs

## **OPTIONS**



## 2 ENHANCED FEATURES

Barcode fonts LK-106 Unicode fonts OCR A and B fonts







Paper tray PF-P28 Height adjustment unit Copier desk DK-P05





## **FINISHING FUNCTIONALITIES**





Duplex

Stapling (offline)

## **DESCRIPTION**

-	ΕN	HAN	ICEL	) FEAI	URES

LK-106 Barcode fonts	Supports native barcode printing	
LK-107 Unicode fonts	Supports native Unicode printing	
LK-108 OCR A and B fonts	Supports native OCR A and B font printing	
CONNECTIVITY		
UK-221 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode	
EK-P08 USB I/F kit	USB keyboard connection	
EK-P09 USB I/F kit	USB keyboard connection; Bluetooth	
EK-P10 NFC I/F kit	To connect with Android mobile devices	
ID card reader	Various ID card technologies	
MK-P08 Mount kit	Installation kit for ID card reader	

### **OTHERS**

WT-P03 Working Table	Authentication device placement
KP-P03 10-Key pad	For use instead of touchscreen
KH-P02 Keyboard holder	To place USB keyboard
External Keyboard	External Keyboard

## MEDIA INPUT

PF-P28 Paper tray	500 sheets, 8.5" x 11" or 8.5" x 14", 60-90 g/m <sup>2</sup> To achieve comfortable height for operation	
PF-P25 Height adjustment unit		
DK-P05 Copier desk	Provides storage space for print media and other materials	

## MEDIA OUTPUT

FS-P04 Off-line stapler 20-sheet off-line stapling

## **TECHNICAL SPECIFICATIONS**

## SYSTEM SPECIFICATIONS

System speed Letter	Up to 42/42 ppm (mono/color)
Auto Duplex speed Letter	Up to 42/42 ppm (mono/color)
1st page out time Letter	8.0/8.7 sec. (mono/color)
Warm-up time	Approx. 13/15 sec. (mono/color) <sup>1</sup>
Imaging technology	Laser
Toner technology	Simitri® V polymerized toner
Panel size/resolution	7" / 800 x 480
System memory	4 GB (standard/max)
System hard drive	8 GB (standard)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0;
	Wi-Fi 802.11 b/g/n/ac (optional)
Network protocols	TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour
Printable paper size	3.5" x 8.8" to 8.5" x 14"; customized paper sizes
Printable paper weight	60-210 g/m <sup>2</sup>
Paper input capacity	600 sheets / 2,100 sheets (standard/max)
Paper tray input (standard)	$1x500;3.9^{\prime\prime}x5.8^{\prime\prime}$ to $8.5^{\prime\prime}x11^{\prime\prime};customsizes;60-210g/m^2$
Paper tray input (optional)	3x 500 sheets; 8.5" x 11" or 8.5" x 14"; 60-210 g/m <sup>2</sup>
Manual bypass	100 sheets; 3.5" x 8.8" to 8.5" x 14"; custom sizes; 60-210 $\mbox{g/m}^2$
Finishing modes (optional)	Group; Sort; Staple (offline)
Automatic duplexing	4.7" x 8.8" to 8.5" x 14"; 60-210 g/m <sup>2</sup>
Output capacity	Up to 250 sheets
Duty cycle (monthly)	Rec. 6,500 pages; Max. <sup>2</sup> 120,000 pages
Toner lifetime	Black up to 13,000 pages
	CMY up to 9,000 pages
Imaging unit lifetime	Black up to 200,000 pages (imaging unit)
	CMY up to 100,000 pages (imaging unit)
Power consumption	110-120 V / 50/60 Hz; Less than 1.45 kW
System dimension (W x D x H)	16.5" x 20.8" x 18.6" (without options)
System weight	Approx. 73 lb. (without options)

## PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi		
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS		
Operating systems	Windows 10 (32/64); Windows 11; Windows Server 2012;		
	Windows Server 2012 R2; Windows Server 2016;		
	Windows Server 2019; Windows Server 2022;		
	macOS 10.14 or later; Unix; Linux; Citrix		
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin		
Mobile printing	AirPrint (iOS); Mopria (Android);		
	Konica Minolta Mobile Print (iOS/Android)		
	optional: WiFi Direct		

#### SYSTEM FEATURES

SYSTEM FEATURES	
Security	IP filtering and port blocking;
	SSL3 and TLS1.1/1.2/1.3 network communication; IPsec support,
	IEEE 802.1x support; User authentication; Kerberos;
	Data encryption (AES 256); Print user data encryption
Accounting	Up to 100 user accounts; Active Directory support (user name +
	password + e-mail + smb folder);
	ID card authentication (ID card reader);
	Authentication by mobile device (Android/iOS)
Software	Net Care Device Manager; Data Administrator; Box Operator;
	Web Connection; Print Status Notifier; Driver Packaging Utility;
	Log Management Utility

- <sup>1</sup> Warm-up time may vary depending on the operating environment and usage
- <sup>2</sup> If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed
- All specifications refer to letter-size paper of 80 g/m² quality.
   The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.

  The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a
- particular page size (5% coverage of letter). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.

  - Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

For complete information on Konica Minolta products and solutions, please visit: CountOnKonicaMinolta.com

















